



National Surveillance of Nosocomial Septicemia (Hospital-wide)

National analysis

Data from 01/01/2007 to 31/01/2008

1. SUMMARY BY QUARTER

Quarter	from	to	Patient records	SEP records	MO records	N of admissions	Patient-days	Length of stay	N admissions in intensive care	Pt-days IC	LOS IC	N hemoc.	N hc/1000 ptd	N SEP > D2	%	N SEP > D2 icu	%
2007q1	01/01/2007	30/04/2007	1669	1766	1948	198047	1478951	7.5 d	12651	58123	4.6 d	62547	42.3	1183	0.6	235	1.86
2007q2	01/04/2007	31/08/2007	1459	1522	1710	168924	1245130	7.4 d	10244	44172	4.3 d	44178	35.5	953	0.56	191	1.86
2007q3	01/07/2007	30/11/2007	1059	1118	1267	129028	954054	7.4 d	7449	32149	4.3 d	33807	35.4	827	0.64	174	2.34
2007q4	01/10/2007	31/01/2008	1124	1183	1316	139351	1072291	7.7 d	8543	37428	4.4 d	39354	36.7	860	0.62	202	2.36
TOTAL	01/01/2007	31/01/2008	5311	5589	6241	635350	4750426	7.5 d	38887	171872	4.4 d	179886	37.9	3823	0.6	802	2.06

2. Data quality check

Total number of surveillance quarters	199
Whocare	0
NSIHwin	199

a. Denominator data

a.1. Standard denominator data

Complete records	145
Missing n of hospital admissions	0
Missing n of patient-days	0
Missing n of ICU admissions	45
Missing n of ICU patient-days	45
Missing n of hemocultures	9

a.2. Optional data (quality decree Fl. Comm.)*

>=1 optional variable	83
Complete records	63
Missing n pts staying >24h in ICU	5
Missing n pt-days for pts >24h in ICU	5
Missing n cvc-days (pts >24h) in ICU, cath.total	15
Missing n cvc-days (pts >24h) in ICU, pt.total	15

*optional

b. Septicemia data

Total number of septicemia records	5589
Missing micro-organism	12
Missing service where SEP was diagnosed*	182
Missing outcome (follow-up) status	288
Missing outcome (follow-up) date	288
Unlikely delay admission to infection	15
Infection date after discharge date	11
NSIHwin only:	
Nosocomial judgment out of range	77
Origin SEP out of range	0
Relationship out of range	233
Origin=other infection & no other infection site	83

*replaced by service of admission if available

3. TABLES

Table 1a : Standard summary

A. Denominator data		
Number of admissions	635350	
Mean number of admissions per month	1055	
Number of patient-days	4750426	
Mean length of hospital stay (days)*	7.5	
N of admissions in intensive care	38887	
Mean number of ICU admissions per month	65	
N of patient-days in intensive care	171872	
Mean length of stay in intensive care (days)*	4.4	
Number of hemocultures	179886	
N hemocultures per 1000 patient-days	39.4	
*missings excluded		
B. Septicemia episodes		
	all	> Day 2
Total number of septicemia records	5589	3953
N SEP with ≥ 1 recognized pathogen (A)	4851	3377
N SEP with skin contaminant(s) only	738	580
of which		
2 positive hemocultures (old definition)(B)	542	444
1 positive hc + cvc + AB therapy (KD)(C)	31	27
1 positive hc, no cvc or AB therapy (deleted)(D)	163	107
N of septicemia records in analysis(A+B)	5395	3823
Whocare	0	0
NSIHwin	5395	3823
Nosocomial character (A+B)		
Not nosocomial	1733	326
Probably nosocomial	793	733
Definitely nosocomial	2841	2754
Incidence		
a. Hospital-wide		
	all SEP	>D2
Incidence per 1000 admissions	8.5	6
Incidence per 10000 patient-days	11.4	8
N sep/100 hemocultures		
Positive HC %	2.8	2
b. Intensive care (all patients)		
	all SEP	>D2
Incidence per 1000 admissions	21.4	18.3
Incidence per 10000 patient-days	48.5	41.4

Table 1b : KD summary (NSIHwin data)

A. Denominator data		
	N quarters	
Number of admissions	635350	199
Number of patient-days	4750426	199
Mean length of hospital stay (days)*	7.5	
N patients staying >24h in intensive care	15740	78
N of patient-days for pts staying >24h in intensive care	82752	78
Mean length of stay in intensive care (days)*	5.3	
Number of catheter-days, patient total	34142	68
CVC days/1000 patient-days*	510	
Number of catheter-days, cath.total	52006	68
CVC days/1000 patient-days*	730	
*missings excluded		
B. Septicemia episodes		
	all	> Day 2
Total number of septicemia records	5589	3953
N SEP with ≥ 1 recognized pathogen (A)	4851	3377
N SEP with only skin contaminant(s)	738	580
of which		
2 positive hemocultures (old definition)(B)	542	444
1 positive hc + cvc + AB therapy (KD)(C)	31	27
1 positive hc, no cvc or AB therapy (deleted)	163	107
N of septicemia records in analysis(A+B+C)	5424	3848
N of primary septicemia	2637	2113
Incidence		
a. Hospital-wide		
Primary SEP>D2 per 1000 patient-days, hospital	2113 4750426	0.44
b. Intensive care (patients staying >24h)		
Prim. SEP>D2 on int.care, per 1000 pt-days	134 82752	1.62
Cath-ass. SEP>D2 in intensive care, per 1000 cvc-days (pt.total)	61 34142	1.79
Cath-ass. SEP>D2 in intensive care, per 1000 cvc-days (cat.total)	61 52006	1.17

Table 2a: Origin (source) of septicemia

Note: SEP>D2, NSIH definition (A+B)

	Probable (%)	Definite (%)	Total (%)	Incidence / 10000 pt- days
Catheter-related	301 (7.8)	429 (11.1)	730 (18.9)	1.56
NSIHwin data	301 (7.8)	429 (11.1)	730 (18.9)	
Central catheter	246 (6.4)	385 (6.4)	631 (16.3)	
Peripheral catheter	36 (0.9)	22 (0.9)	58 (1.5)	
Arterial catheter	19 (0.5)	13 (0.5)	32 (0.8)	
Secondary origin	867 (22.5)	875 (22.7)	1742 (45.1)	3.66
Urinary tract infection	198 (5.1)	390 (10.1)	588 (15.2)	
Pneumonia	133 (3.4)	128 (3.3)	261 (3.4)	
Other respiratory tract inf.	99 (2.6)	68 (1.8)	167 (2.6)	
Inf. gastro-intestinal system	172 (4.5)	75 (1.9)	247 (4.5)	
Inf. skin/soft tissue	57 (1.5)	47 (1.2)	104 (1.5)	
Surgical site infection	42 (1.1)	51 (1.3)	93 (1.1)	
Cardiovascular system inf.	32 (0.8)	27 (0.7)	59 (0.8)	
Eye/ear/nose/throat/mouth	12 (0.3)	11 (0.3)	23 (0.3)	
Bone/joint infection	12 (0.3)	5 (0.1)	17 (0.3)	
Reproductive tract inf.	3 (0.1)	2 (0.1)	5 (0.1)	
Central nervous system inf.	9 (0.2)	5 (0.1)	14 (0.2)	
Systemic infection	4 (0.1)	3 (0.1)	7 (0.1)	
Other infection/ not specified	30 (0.8)	39 (1.0)	69 (0.8)	
Invasive procedure	67 (1.7)	32 (0.8)	99 (1.7)	
Foreign body	16 (0.4)	13 (0.3)	29 (0.4)	
Unknown origin			1389 (36.0)	2.89
TOTAL septicemia >D2			3861 (100)	8.05
Total NSIHwin data >D2			3861 (100)	

Table 2b: Catheter data (optional)

Total sep with catheter data 1140

Catheter	cath-ass.SEP	sec.SEP	unkown	total
Central catheter	430	230	299	959
Peripheral catheter	51	78	76	205
Arterial catheter	44	54	51	149

Catheter-days by catheter type

	N	Mean duration	Median duration
Central catheters	591 959	12.7 d	10 d
Jugular CVC	113 126	13.3 d	11 d
Subclavian CVC	119 124	11.9 d	10 d
Femoral catheter	11 11	14.3 d	9 d
Implanted (Port-a-cath)	15 101	25.3 d	11 d
Umbilical catheter	1 1	4.0 d	4 d
Dialysis catheter	6 19	14.3 d	12.5 d
Other/unspecified	326 577	12.2 d	10 d
Peripheral catheters	97 205	6.1 d	4 d
Arterial catheters	104 149	9.7 d	7.5 d

Table 3 : Distribution of septicemia by service

	all	>D2 in hospital	>D2 in service*
Unknown	58 (1.1)	29 (0.8)	24 (0.7)
General/abdom surg.	326 (6.0)	295 (7.6)	273 (7.6)
Cardiovasc.surg	96 (1.8)	81 (2.1)	74 (2.1)
Mixed surgical/medic	122 (2.2)	90 (2.3)	84 (2.4)
Neurosurgery	61 (1.1)	57 (1.5)	53 (1.5)
Orthopedics	102 (1.9)	89 (2.3)	82 (2.3)
Plastic surgery	8 (0.1)	7 (0.2)	6 (0.2)
Urology	144 (2.6)	91 (2.4)	84 (2.4)
Other surgery	53 (1.0)	39 (1.0)	36 (1.0)
Geriatrics	641 (11.8)	472 (12.2)	444 (12.4)
Gynecology	27 (0.5)	23 (0.6)	20 (0.6)
Intensive care	958 (17.6)	812 (21.0)	730 (20.4)
Cardiology	238 (4.4)	190 (4.9)	175 (4.9)
Endocrinology	19 (0.3)	13 (0.3)	13 (0.4)
Internal Medicine	682 (12.5)	434 (11.2)	406 (11.4)
Nephrology	152 (2.8)	82 (2.1)	72 (2.0)
Oncology/Hematology	578 (10.6)	442 (11.4)	425 (11.9)
Pneumology	220 (4.0)	134 (3.5)	125 (3.5)
Medicine, other	250 (4.6)	166 (4.3)	151 (4.2)
Neonatal Intensive Care	73 (1.3)	62 (1.6)	61 (1.7)
Obstetrics	29 (0.5)	19 (0.5)	17 (0.5)
Otorhinolaryngology	5 (0.1)	5 (0.1)	4 (0.1)
Ophthalmology	1 (0.0)	0 (0.0)	0 (0.0)
Pediatrics	127 (2.3)	65 (1.7)	64 (1.8)
Psychiatry	8 (0.1)	7 (0.2)	7 (0.2)
Revalidation	72 (1.3)	69 (1.8)	66 (1.8)
Trauma/Emergency	239 (4.4)	15 (0.4)	12 (0.3)
Other types	146 (2.7)	73 (1.9)	65 (1.8)
TOTAL	5435 (100)	3861 (100)	3573 (100)

*NSIHwin only

Table 4: Clinical data**a. Demographics of patients with septicemia****1. Age and gender**

	N	%	mean age	min	P25	P50	P75	max
Female	2532	46.4	65.7	0	58	73	81	102
Male	2920	53.6	63.2	0	56	69	78	100
Total	5452	100	64.4	0	57	71	79	102

2. Patient origin at admission*

	N	%
Other hospital	173	4.9
Nursing home	313	8.9
Community	3017	86.1
Total	3503	100
Total NSIHwin data	5466	
Missing origin	1963	35.9

b. Status at end of follow-up (in hospital)**1. Outcome and relationship septicemia to death**

Outcome	<=7 d after SEP (%) (1)	>7d after SEP (%) (1)	Tot + disch.date (%) (2)	Total (%) (2)
Alive	692 (18.1)	3128 (81.9)	3820 (74.7)	3855 (74.7)
Death	502 (38.7)	795 (61.3)	1297 (25.3)	1308 (25.3)
Relationship septicemia to death (NSIHwin)			4917	5140
Relationship not verified	192 (38.2)	310 (61.8)	502 (10.3)	505 (9.8)
Not related	78 (21.4)	287 (78.6)	365 (7.5)	367 (7.1)
Possible relationship	132 (49.8)	133 (50.2)	265 (5.4)	267 (5.2)
Definite relationship	70 (76.1)	22 (23.9)	92 (1.9)	92 (1.8)

(1) row percentage - (2) column percentage

		95%CI
Crude mortality (case fatality) rate	25.40%	(24.2-26.6)
Mortality % in nosocomial(>D2) SEP	1087 3656	29.70% (28.3-31.2)
Mortality % within 7 days after noso-SEP		11.30% (10.3-12.3)
Mortality % poss/defin. related to noso-SEP		13.90% (12.8-15.1)

2. Age and sex specific mortality

Age group	N deaths (mortality %)(2)			
	N(1)	F	M	Total
<1 y	175	7 (8.0)	7 (8.0)	14 (8.0)
1-4 y	83	2 (4.7)	4 (10.0)	6 (7.2)
5-14 y	54	1 (4.5)	3 (9.4)	4 (7.4)
15-29 y	135	5 (8.5)	11 (14.5)	16 (11.9)
30-39 y	163	2 (2.4)	7 (8.9)	9 (5.5)
40-49 y	281	8 (7.3)	17 (9.9)	25 (8.9)
50-59 y	613	53 (21.8)	81 (21.9)	134 (21.9)
60-69 y	932	72 (19.5)	169 (30.1)	241 (25.9)
70-79 y	1452	217 (31.6)	217 (28.3)	434 (29.9)
80-89 y	1085	184 (31.6)	167 (33.3)	351 (32.4)
90+ y	176	48 (41.0)	24 (40.7)	72 (40.9)
Total	5149	599 (24.9)	707 (25.7)	1306 (25.4)

(1) Total number of patients in age group

(2) N of deaths by sex and age - N of patients in cell=N deaths(% mortality)

*c. Clinical symptoms**

	age <12m	%	age ≥12m	%	total	%
Missing	73	29.3%	608	10.1%	682	10.8%
Unknown	68	27.3%	1299	21.6%	1381	22.0%
Fever	84	33.7%	3954	65.7%	4046	64.3%
Chills	2	0.8%	746	12.4%	750	11.9%
Hypotension	2	0.8%	408	6.8%	413	6.6%
Hypothermia	7	2.8%	0	0.0%	7	0.1%
Apnea	23	9.2%	0	0.0%	23	0.4%
Bradycardia	16	6.4%	0	0.0%	16	0.3%

*NSIHwin only

Table 5a : Distribution of micro-organisms

A. Grouped, in decreasing order of frequency

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Escherichia spp.</i>	540	804	648	695	1344	22.1%
<i>Coagulase-neg. staphylococci</i>	150	646	194	598	796	13.1%
<i>Staphylococcus aureus</i>	202	578	250	530	780	12.8%
<i>Streptococcus spp.</i>	365	250	402	213	615	10.1%
<i>Klebsiella spp.</i>	100	363	131	330	463	7.6%
<i>Enterococcus spp.</i>	52	323	77	298	375	6.2%
<i>Pseudomonas spp.</i>	61	255	72	243	316	5.2%
<i>Enterobacter spp.</i>	45	253	70	226	298	4.9%
<i>Candida spp.</i>	14	243	21	235	257	4.2%
<i>Acinetobacter spp.</i>	16	119	20	115	135	2.2%
<i>Proteus spp.</i>	34	97	39	91	131	2.2%
<i>Bacteroides spp.</i>	31	63	34	60	94	1.5%
<i>Serratia spp.</i>	9	80	11	78	89	1.5%
<i>Morganella spp.</i>	6	55	10	51	61	1.0%
<i>Other/unidentified</i>	11	36	18	29	47	0.8%
<i>Stenotrophomonas spp.</i>	4	35	6	32	39	0.6%
<i>Citrobacter spp.</i>	6	28	8	26	34	0.6%
<i>Haemophilus spp.</i>	7	14	9	12	21	0.3%
<i>Clostridium spp.</i>	5	12	9	8	17	0.3%
<i>Salmonella spp.</i>	12	4	12	4	16	0.3%
<i>Bacillus spp.</i>	4	11	4	11	15	0.2%
<i>Fusobacterium spp.</i>	6	8	7	7	14	0.2%
<i>Providencia spp.</i>	3	8	5	6	11	0.2%
<i>Saccharomyces spp.</i>	1	10	2	9	11	0.2%
<i>Corynebacterium spp.</i>	1	8	1	8	9	0.1%
<i>Neisseria spp.</i>	5	4	6	3	9	0.1%
<i>Prevotella spp.</i>	1	6	2	5	7	0.1%
<i>Propionibacterium spp.</i>	6	1	6	1	7	0.1%
<i>Lactobacillus spp.</i>	0	6	0	6	6	0.1%
<i>Aeromonas spp.</i>	1	4	1	4	5	0.1%
<i>Hafnia spp.</i>	1	4	1	4	5	0.1%
<i>Listeria spp.</i>	3	2	4	1	5	0.1%
<i>Moraxella spp.</i>	4	1	4	1	5	0.1%
<i>Peptostreptococcus spp.</i>	2	3	2	3	5	0.1%
<i>Micrococcus spp.</i>	2	2	2	2	4	0.1%
<i>Aerococcus spp.</i>	0	3	0	3	3	0.0%
<i>Alcaligenes spp.</i>	1	2	1	2	3	0.0%
<i>Burkholderia spp.</i>	1	2	1	2	3	0.0%
<i>Campylobacter spp.</i>	2	1	2	1	3	0.0%
<i>Eubacterium spp.</i>	2	1	2	1	3	0.0%
<i>Gemella spp.</i>	0	3	0	3	3	0.0%
<i>Other/unspec. fungi</i>	0	3	0	3	3	0.0%
<i>Achromobacter spp.</i>	2	0	2	0	2	0.0%
<i>Agrobacterium spp.</i>	0	2	0	2	2	0.0%
<i>Aspergillus spp.</i>	1	1	1	1	2	0.0%
<i>Flavobacterium spp.</i>	0	2	0	2	2	0.0%
<i>Stomatococcus spp.</i>	1	1	1	1	2	0.0%
<i>Actinobacillus spp.</i>	0	1	0	1	1	0.0%
<i>Actinomyces spp.</i>	0	1	0	1	1	0.0%
<i>Capnocytophagia spp.</i>	0	1	0	1	1	0.0%
<i>Chryseobacterium spp.</i>	0	1	0	1	1	0.0%
<i>Cryptococcus spp.</i>	0	1	0	1	1	0.0%
<i>Eikenella spp.</i>	0	1	0	1	1	0.0%
<i>Lactococcus spp.</i>	0	1	0	1	1	0.0%
Other enterobacteriaceae	0	1	0	1	1	0.0%
Other/unspec. virus	0	1	0	1	1	0.0%
Peptococcus spp.	1	0	1	0	1	0.0%
Total	1721	4366	2099	3975	6087	100.0%

B. Detailed, in alphabetic order

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
ACHROMOBACTER XYLOSOXIDANS	2	0	2	0	2	0.0%
ACIDAMINOCOCCUS SPECIES, NOT SPECIFIED	0	1	1	0	1	0.0%
ACINETOBACTER BAUMANNII	9	65	12	62	74	1.2%
ACINETOBACTER HAEMOLYTICUS	0	8	1	7	8	0.1%
ACINETOBACTER JUNII	0	2	0	2	2	0.0%
ACINETOBACTER LWOFFI	1	16	1	16	17	0.3%
ACINETOBACTER SPECIES, NOT SPECIFIED	6	28	6	28	34	0.6%
ACTINOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
ACTINOMYCES VISCOSUS	0	1	0	1	1	0.0%
AEROCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
AEROCOCCUS VIRIDANS	0	2	0	2	2	0.0%
AEROMONAS HYDROPHILA	1	2	1	2	3	0.0%
AEROMONAS SPECIES, NOT SPECIFIED	0	2	0	2	2	0.0%
AGROBACTERIUM RADIOBACTER	0	2	0	2	2	0.0%
ALCALIGENES SPECIES, NOT SPECIFIED	1	0	1	0	1	0.0%
ALCALIGENES XYLOSOXIDANS SPECIES XYLOSOXIDANS	0	2	0	2	2	0.0%
ANAEROBES, NOT SPECIFIED	0	2	0	2	2	0.0%
ASPERGILLUS FUMIGATUS	1	1	1	1	2	0.0%
BACILLUS CEREUS	1	3	1	3	4	0.1%
BACILLUS SPECIES, NOT SPECIFIED	2	7	2	7	9	0.1%
BACILLUS SUBTILIS	1	1	1	1	2	0.0%
BACTEROIDES CAPILLOSUS	0	3	0	3	3	0.0%
BACTEROIDES DISTASONIS	1	0	1	0	1	0.0%
BACTEROIDES EGGERTHII	2	1	2	1	3	0.0%
BACTEROIDES FRAGILIS	17	40	18	39	57	0.9%
BACTEROIDES OVATUS	1	3	1	3	4	0.1%
BACTEROIDES SPECIES, NOT SPECIFIED	9	14	10	13	23	0.4%
BACTEROIDES THETAIOAOMICRON	0	1	1	0	1	0.0%
BACTEROIDES UNIFORMIS	1	0	1	0	1	0.0%
BACTEROIDES VULGATUS	0	1	0	1	1	0.0%
BIFIDOBACTERIUM SPECIES, NOT SPECIFIED	1	1	2	0	2	0.0%
BURKHOLDERIA CEPACIA	1	2	1	2	3	0.0%
CALYMMATOBACTERIUM GRANULOMATIS	0	1	0	1	1	0.0%
CAMPYLOBACTER FETUS FETUS	2	1	2	1	3	0.0%
CANDIDA ALBICANS	10	142	14	137	152	2.5%
CANDIDA GLABRATA	2	55	4	53	57	0.9%
CANDIDA KRUSEI	0	4	1	3	4	0.1%
CANDIDA PARAPSILOSIS	0	22	0	22	22	0.4%
CANDIDA SPECIES, NOT SPECIFIED	1	9	1	9	10	0.2%
CANDIDA TROPICALIS	1	11	1	11	12	0.2%
CAPNOCYTOPHAGIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
CHRYSEOBACTERIUM MENINGOSEPTICUM	0	1	0	1	1	0.0%
CITROBACTER BRAAKII	1	0	1	0	1	0.0%
CITROBACTER DIVERSUS	1	3	1	3	4	0.1%
CITROBACTER FREUNDII	3	21	4	20	24	0.4%
CITROBACTER INTERMEDIUS	1	0	1	0	1	0.0%
CITROBACTER SPECIES, NOT SPECIFIED	0	4	1	3	4	0.1%
CLOSTRIDIUM PERFRINGENS	4	6	7	3	10	0.2%
CLOSTRIDIUM RAMOSUM	0	1	0	1	1	0.0%
CLOSTRIDIUM SUBTERMINALE	1	0	1	0	1	0.0%
CLOSTRIDIUM TERTIUM	0	5	1	4	5	0.1%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPECIFIED	38	211	47	202	249	4.1%
COCCIDIOIDES SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
CORYNEBACTERIUM JEIKEIUM	0	2	0	2	2	0.0%
CORYNEBACTERIUM PSEUDODIPHTERITICUM	0	1	0	1	1	0.0%
CORYNEBACTERIUM SPECIES, NOT SPECIFIED	1	5	1	5	6	0.1%
CRYPTOCOCCUS NEOFORMANS	0	1	0	1	1	0.0%
ECHINOCOCCUS GRANULOSUS	0	3	1	2	3	0.0%
EIKENELLA CORRODENS	0	1	0	1	1	0.0%
ENTEROBACTER AEROGENES	27	119	41	104	146	2.4%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
ENTEROBACTER AGGLOMERANS	1	1	2	0	2	0.0%
ENTEROBACTER CLOACAE	15	126	24	116	141	2.3%
ENTEROBACTER GERGOVIAE	1	0	1	0	1	0.0%
ENTEROBACTER SPECIES, NOT SPECIFIED	1	7	2	6	8	0.1%
ENTEROCOCCUS AVIUM	1	2	1	2	3	0.0%
ENTEROCOCCUS DURANS	0	4	0	4	4	0.1%
ENTEROCOCCUS FAECALIS	42	212	55	199	254	4.2%
ENTEROCOCCUS FAECIUM	3	61	8	56	64	1.1%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	6	44	13	37	50	0.8%
ENTEROPATHOGENIC ESCHERICHIA COLI	0	2	0	2	2	0.0%
ESCHERICHIA BLATTAE	1	0	1	0	1	0.0%
ESCHERICHIA COLI	535	799	642	691	1334	21.9%
ESCHERICHIA HERMANII	0	1	0	1	1	0.0%
ESCHERICHIA SPECIES, NOT SPECIFIED	4	2	5	1	6	0.1%
EUBACTERIUM LIMOSUM	1	1	1	1	2	0.0%
EUBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.0%
FLAVOBACTERIUM INDOLOGENES	0	2	0	2	2	0.0%
FUNGI, NOT SPECIFIED	0	1	0	1	1	0.0%
FUSARIUM SPECIES	0	1	0	1	1	0.0%
FUSOBACTERIUM MORTIFERUM	0	1	1	0	1	0.0%
FUSOBACTERIUM NECROPHORUM	0	1	0	1	1	0.0%
FUSOBACTERIUM NUCLEATUM	3	4	3	4	7	0.1%
FUSOBACTERIUM SPECIES, NOT SPECIFIED	3	2	3	2	5	0.1%
G-BAC, NON ENTEROBACTERIACEAE, NOT SPEC.	2	3	3	2	5	0.1%
GEMELLA HAEMOLYSANS	0	1	0	1	1	0.0%
GEMELLA MORBILLORUM	0	1	0	1	1	0.0%
GEMELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
GRAM POSITIVE BACILLI, NOT SPECIFIED	1	1	1	1	2	0.0%
GRAM POSITIVE COCCI, NOT SPECIFIED	2	1	3	0	3	0.0%
HAEMOPHILUS INFLUENZAE	7	10	8	9	17	0.3%
HAEMOPHILUS PARAINFLUENZAE	0	3	1	2	3	0.0%
HAEMOPHILUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
HAFNIA ALVEI	1	4	1	4	5	0.1%
KLEBSIELLA ORNITHINOLYTICA	1	1	1	1	2	0.0%
KLEBSIELLA OXYTOCA	18	103	27	94	121	2.0%
KLEBSIELLA OZAENAE	1	0	1	0	1	0.0%
KLEBSIELLA PLANTICOLA	0	1	0	1	1	0.0%
KLEBSIELLA PNEUMONIAE	80	256	102	232	336	5.5%
KLEBSIELLA SPECIES, NOT SPECIFIED	0	2	0	2	2	0.0%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	6	0	6	6	0.1%
LACTOCOCCUS GARVIAE	0	1	0	1	1	0.0%
LECLERCIA ADECARBOXYLATA	0	1	0	1	1	0.0%
LEPTOTRICHIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
LISTERIA MONOCYTOGENES	3	2	4	1	5	0.1%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOUND	1	12	1	12	13	0.2%
MICROCOCCUS SPECIES	2	2	2	2	4	0.1%
MICROSPORUM EQUINUM	0	1	0	1	1	0.0%
MORAXELLA CATARRHALIS	2	0	2	0	2	0.0%
MORAXELLA NONLIQUEFACIENS	1	1	1	1	2	0.0%
MORAXELLA SPECIES, NOT SPECIFIED	1	0	1	0	1	0.0%
MORGANELLA MORGANII	6	54	9	51	60	1.0%
MORGANELLA SPECIES, NOT SPECIFIED	0	1	1	0	1	0.0%
NEISSERIA MENINGITIDIS	5	1	5	1	6	0.1%
NEISSERIA MUCOSA	0	1	1	0	1	0.0%
NEISSERIA SPECIES, NOT SPECIFIED	0	2	0	2	2	0.0%
PANTOEA AGGLOMERANS	0	1	1	0	1	0.0%
PEPTOCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.0%
PEPTOSTREPTOCOCCUS ASACCHAROLYTICUS	0	1	0	1	1	0.0%
PEPTOSTREPTOCOCCUS MICROS	0	1	0	1	1	0.0%
PEPTOSTREPTOCOCCUS PREVOTII	0	1	0	1	1	0.0%
PEPTOSTREPTOCOCCUS SPECIES, NOT SPECIFIED	2	0	2	0	2	0.0%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
PREVOTELLA BIVIA	1	1	1	1	2	0.0%
PREVOTELLA BUCCAE	0	1	0	1	1	0.0%
PREVOTELLA ORALIS	0	1	0	1	1	0.0%
PREVOTELLA SPECIES, NOT SPECIFIED	0	3	1	2	3	0.0%
PROPIONIBACTERIUM ACNES	6	0	6	0	6	0.1%
PROPIONIBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
PROTEUS MIRABILIS	32	83	37	77	115	1.9%
PROTEUS SPECIES, NOT SPECIFIED	0	5	0	5	5	0.1%
PROTEUS VULGARIS	2	9	2	9	11	0.2%
PROVIDENCIA RETTGERI	1	2	1	2	3	0.0%
PROVIDENCIA STUARTII	2	6	4	4	8	0.1%
PSEUDOMONAS AERUGINOSA	53	242	64	230	295	4.8%
PSEUDOMONAS DIMINUTA	0	1	0	1	1	0.0%
PSEUDOMONAS FLUORESCENS	0	2	0	2	2	0.0%
PSEUDOMONAS MALTOPHILIA	0	2	0	2	2	0.0%
PSEUDOMONAS PAUCIMOBILIS	2	0	2	0	2	0.0%
PSEUDOMONAS PUTIDA	0	4	0	4	4	0.1%
PSEUDOMONAS SPECIES, NOT SPECIFIED	3	2	3	2	5	0.1%
PSEUDOMONAS STUTZERI	3	2	3	2	5	0.1%
RAHNELLA AQUATI	0	1	0	1	1	0.0%
ROTHIA SPECIES, NOT SPECIFIED	0	2	0	2	2	0.0%
SACCHAROMYCES CEREVISIAE	1	9	2	8	10	0.2%
SACCHAROMYCES SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
SALMONELLA OF GROUP B	4	0	4	0	4	0.1%
SALMONELLA OF GROUP D	1	2	1	2	3	0.0%
SALMONELLA SPECIES, NOT SPECIFIED	2	0	2	0	2	0.0%
SALMONELLA TYPHI	4	0	4	0	4	0.1%
SALMONELLA TYPHIMURIUM	1	2	1	2	3	0.0%
SARCOCYSTIS HOMINIS	0	1	0	1	1	0.0%
SERRATIA LIQUEFACIENS	1	7	2	6	8	0.1%
SERRATIA MARCESCENS	7	72	8	71	79	1.3%
SERRATIA ODORIFERA	1	0	1	0	1	0.0%
SERRATIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
SPHINGOBACTERIUM MIZUTAE	1	0	1	0	1	0.0%
SPHINGOBACTERIUM SPECIES, NOT SPECIFIED	2	1	2	1	3	0.0%
STAPHYLOCOCCUS AUREUS	194	575	241	528	769	12.6%
STAPHYLOCOCCUS AURICULARIS	0	1	0	1	1	0.0%
STAPHYLOCOCCUS CAPITIS	4	18	4	18	22	0.4%
STAPHYLOCOCCUS EPIDERMIDIS	52	218	68	198	270	4.4%
STAPHYLOCOCCUS HAEMOLYTICUS	4	27	5	26	31	0.5%
STAPHYLOCOCCUS HOMINIS	18	46	25	39	64	1.1%
STAPHYLOCOCCUS SCHLEIFERI	1	5	2	4	6	0.1%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	8	3	9	2	11	0.2%
STAPHYLOCOCCUS WARNERI	4	6	6	4	10	0.2%
STAPHYLOCOCCUS XYLOSUS	0	2	0	2	2	0.0%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	29	112	37	104	141	2.3%
STENOTROPHOMONAS MALTOPHILIA	4	35	6	32	39	0.6%
STOMATOCOCCUS MUCILAGINOSUS	1	1	1	1	2	0.0%
STREPTOCOCCI, ALPHA-HEMOLYTIC	3	1	3	1	4	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC	3	0	3	0	3	0.0%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	10	7	11	6	17	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	9	9	11	7	18	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	8	3	8	3	11	0.2%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP F	2	3	3	2	5	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP G	5	1	5	1	6	0.1%
STREPTOCOCCUS ADJACENS	0	1	0	1	1	0.0%
STREPTOCOCCUS AGALACTIAE	19	3	21	1	22	0.4%
STREPTOCOCCUS ANGINOSUS	5	8	5	8	13	0.2%
STREPTOCOCCUS BOVIS	9	11	12	8	20	0.3%
STREPTOCOCCUS MILLERI	2	7	3	6	9	0.1%
STREPTOCOCCUS MITIS	12	36	15	33	48	0.8%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
STREPTOCOCCUS MUTANS	0	1	0	1	1	0.0%
STREPTOCOCCUS OF GROUP D	6	5	6	5	11	0.2%
STREPTOCOCCUS PNEUMONIAE	193	64	200	57	257	4.2%
STREPTOCOCCUS PYOGENES	11	12	16	7	23	0.4%
STREPTOCOCCUS SALIVARIUS	5	10	6	9	15	0.2%
STREPTOCOCCUS SANGUIS	5	6	6	5	11	0.2%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	28	20	32	16	48	0.8%
STREPTOCOCCUS SUIS	0	1	1	0	1	0.0%
STREPTOCOCCUS VIRIDANS	30	41	35	36	71	1.2%
TRICHOSPORON SPECIES, NOT SPECIFIED	0	1	0	1	1	0.0%
VEILLONELLA PARVULA	1	0	1	0	1	0.0%
VEILLONELLA SPECIES, NOT SPECIFIED	0	2	1	1	2	0.0%
VIRUS, OTHER	0	1	0	1	1	0.0%
Total	1721	4366	2099	3975	6087	100.0%

Table 5b : Distribution of micro-organisms by service

A. Grouped, in decreasing order of frequency

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
Unknown						
<i>Coagulase-neg. staphylococci</i>	10	13	12	11	23	27.7%
<i>Escherichia spp.</i>	12	8	14	6	20	24.1%
<i>Staphylococcus aureus</i>	8	1	8	1	9	10.8%
<i>Streptococcus spp.</i>	5	1	5	1	6	7.2%
<i>Klebsiella spp.</i>	2	3	2	3	5	6.0%
<i>Enterobacter spp.</i>	3	1	3	1	4	4.8%
Other/unidentified	3	1	4	0	4	4.8%
<i>Acinetobacter spp.</i>	2	0	2	0	2	2.4%
<i>Candida spp.</i>	0	2	1	1	2	2.4%
<i>Enterococcus spp.</i>	2	0	2	0	2	2.4%
<i>Citrobacter spp.</i>	0	1	0	1	1	1.2%
<i>Morganella spp.</i>	0	1	0	1	1	1.2%
Other/unspec. fungi	0	1	0	1	1	1.2%
<i>Peptococcus spp.</i>	1	0	1	0	1	1.2%
<i>Proteus spp.</i>	0	1	0	1	1	1.2%
<i>Pseudomonas spp.</i>	0	1	0	1	1	1.2%
Total	48	35	54	29	83	100.0%
General/abdom surg.						
<i>Escherichia spp.</i>	13	70	22	61	83	21.4%
<i>Coagulase-neg. staphylococci</i>	5	48	7	45	53	13.7%
<i>Staphylococcus aureus</i>	5	42	8	39	47	12.1%
<i>Klebsiella spp.</i>	5	36	11	30	41	10.6%
<i>Enterococcus spp.</i>	1	25	2	24	26	6.7%
<i>Candida spp.</i>	1	20	1	20	21	5.4%
<i>Streptococcus spp.</i>	6	15	7	14	21	5.4%
<i>Enterobacter spp.</i>	2	17	4	15	19	4.9%
<i>Bacteroides spp.</i>	3	13	5	11	16	4.1%
<i>Pseudomonas spp.</i>	0	11	0	11	11	2.8%
<i>Proteus spp.</i>	0	8	1	7	8	2.1%
<i>Serratia spp.</i>	0	8	0	8	8	2.1%
<i>Acinetobacter spp.</i>	1	6	3	4	7	1.8%
Other/unidentified	1	5	2	4	6	1.5%
<i>Morganella spp.</i>	0	5	0	5	5	1.3%
<i>Citrobacter spp.</i>	0	3	0	3	3	0.8%
<i>Fusobacterium spp.</i>	0	2	1	1	2	0.5%
<i>Aeromonas spp.</i>	0	1	0	1	1	0.3%
<i>Bacillus spp.</i>	0	1	0	1	1	0.3%
<i>Clostridium spp.</i>	0	1	0	1	1	0.3%
<i>Eubacterium spp.</i>	0	1	0	1	1	0.3%
<i>Haemophilus spp.</i>	0	1	0	1	1	0.3%
<i>Lactococcus spp.</i>	0	1	0	1	1	0.3%
Other/unspec. fungi	0	1	0	1	1	0.3%
<i>Prevotella spp.</i>	0	1	0	1	1	0.3%
<i>Propionibacterium spp.</i>	0	1	0	1	1	0.3%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.3%
<i>Stomatococcus spp.</i>	0	1	0	1	1	0.3%
Total	43	345	74	313	388	100.0%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
Cardiovasc.surg						
<i>Staphylococcus aureus</i>	6	17	7	16	23	20.5%
<i>Escherichia spp.</i>	0	12	0	12	12	10.7%
<i>Enterobacter spp.</i>	0	10	1	9	10	8.9%
<i>Klebsiella spp.</i>	2	8	2	8	10	8.9%
<i>Streptococcus spp.</i>	2	8	3	7	10	8.9%
<i>Coagulase-neg. staphylococci</i>	2	7	2	7	9	8.0%
<i>Enterococcus spp.</i>	1	8	2	7	9	8.0%
<i>Serratia spp.</i>	0	6	0	6	6	5.4%
<i>Pseudomonas spp.</i>	2	3	2	3	5	4.5%
<i>Candida spp.</i>	0	4	0	4	4	3.6%
<i>Morganella spp.</i>	1	2	1	2	3	2.7%
<i>Proteus spp.</i>	0	3	0	3	3	2.7%
<i>Bacillus spp.</i>	1	1	1	1	2	1.8%
<i>Bacteroides spp.</i>	0	2	0	2	2	1.8%
<i>Citrobacter spp.</i>	0	1	0	1	1	0.9%
<i>Haemophilus spp.</i>	0	1	0	1	1	0.9%
<i>Hafnia spp.</i>	0	1	0	1	1	0.9%
<i>Prevotella spp.</i>	0	1	0	1	1	0.9%
Total	17	95	21	91	112	100.0%
Mixed surgical/medic						
<i>Escherichia spp.</i>	11	17	15	13	28	21.7%
<i>Staphylococcus aureus</i>	5	13	6	12	18	14.0%
<i>Streptococcus spp.</i>	8	6	8	6	14	10.9%
<i>Enterobacter spp.</i>	1	10	2	9	11	8.5%
<i>Candida spp.</i>	0	10	0	10	10	7.8%
<i>Klebsiella spp.</i>	2	8	3	7	10	7.8%
<i>Coagulase-neg. staphylococci</i>	1	6	1	6	7	5.4%
<i>Enterococcus spp.</i>	0	6	1	5	6	4.7%
<i>Acinetobacter spp.</i>	0	5	0	5	5	3.9%
<i>Bacteroides spp.</i>	2	3	2	3	5	3.9%
<i>Pseudomonas spp.</i>	1	2	2	1	3	2.3%
Other/unidentified	0	2	0	2	2	1.6%
<i>Salmonella spp.</i>	2	0	2	0	2	1.6%
<i>Burkholderia spp.</i>	0	1	0	1	1	0.8%
<i>Campylobacter spp.</i>	1	0	1	0	1	0.8%
<i>Eubacterium spp.</i>	1	0	1	0	1	0.8%
<i>Neisseria spp.</i>	1	0	1	0	1	0.8%
<i>Proteus spp.</i>	0	1	0	1	1	0.8%
<i>Providencia spp.</i>	0	1	0	1	1	0.8%
<i>Serratia spp.</i>	0	1	0	1	1	0.8%
<i>Stenotrophomonas spp.</i>	0	1	0	1	1	0.8%
Total	36	93	45	84	129	100.0%
Neurosurgery						
<i>Coagulase-neg. staphylococci</i>	0	16	0	16	16	21.6%
<i>Escherichia spp.</i>	0	16	1	15	16	21.6%
<i>Staphylococcus aureus</i>	3	8	4	7	11	14.9%
<i>Enterobacter spp.</i>	0	5	0	5	5	6.8%
<i>Enterococcus spp.</i>	0	5	0	5	5	6.8%
<i>Streptococcus spp.</i>	1	4	1	4	5	6.8%
<i>Klebsiella spp.</i>	0	4	0	4	4	5.4%
<i>Pseudomonas spp.</i>	0	4	0	4	4	5.4%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Acinetobacter spp.</i>	0	2	0	2	2	2.7%
<i>Bacteroides spp.</i>	0	2	0	2	2	2.7%
<i>Citrobacter spp.</i>	0	1	0	1	1	1.4%
<i>Morganella spp.</i>	0	1	0	1	1	1.4%
Other/unidentified	0	1	1	0	1	1.4%
<i>Serratia spp.</i>	0	1	0	1	1	1.4%
Total	4	70	7	67	74	100.0%
Orthopedics						
<i>Staphylococcus aureus</i>	7	20	9	18	27	23.7%
<i>Enterobacter spp.</i>	1	15	2	14	16	14.0%
<i>Escherichia spp.</i>	0	16	0	16	16	14.0%
<i>Streptococcus spp.</i>	2	8	2	8	10	8.8%
<i>Klebsiella spp.</i>	0	9	0	9	9	7.9%
<i>Acinetobacter spp.</i>	0	7	0	7	7	6.1%
<i>Pseudomonas spp.</i>	0	7	0	7	7	6.1%
<i>Coagulase-neg. staphylococci</i>	2	4	3	3	6	5.3%
<i>Candida spp.</i>	1	3	1	3	4	3.5%
<i>Enterococcus spp.</i>	0	4	0	4	4	3.5%
<i>Bacteroides spp.</i>	0	1	0	1	1	0.9%
<i>Clostridium spp.</i>	1	0	1	0	1	0.9%
<i>Morganella spp.</i>	0	1	0	1	1	0.9%
Other/unidentified	1	0	1	0	1	0.9%
<i>Proteus spp.</i>	0	1	0	1	1	0.9%
<i>Providencia spp.</i>	0	1	0	1	1	0.9%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.9%
<i>Serratia spp.</i>	0	1	0	1	1	0.9%
Total	15	99	19	95	114	100.0%
Plastic surgery						
<i>Candida spp.</i>	0	3	0	3	3	30.0%
<i>Bacteroides spp.</i>	1	1	1	1	2	20.0%
<i>Coagulase-neg. staphylococci</i>	0	2	0	2	2	20.0%
<i>Agrobacterium spp.</i>	0	1	0	1	1	10.0%
<i>Enterococcus spp.</i>	0	1	0	1	1	10.0%
<i>Escherichia spp.</i>	0	1	0	1	1	10.0%
Total	1	9	1	9	10	100.0%
Urology						
<i>Escherichia spp.</i>	27	24	35	16	51	31.3%
<i>Staphylococcus aureus</i>	6	12	9	9	18	11.0%
<i>Coagulase-neg. staphylococci</i>	6	6	7	5	12	7.4%
<i>Klebsiella spp.</i>	5	6	6	5	11	6.7%
<i>Streptococcus spp.</i>	6	5	8	3	11	6.7%
<i>Enterobacter spp.</i>	0	10	1	9	10	6.1%
<i>Candida spp.</i>	0	7	0	7	7	4.3%
<i>Enterococcus spp.</i>	0	7	1	6	7	4.3%
<i>Proteus spp.</i>	1	6	1	6	7	4.3%
<i>Serratia spp.</i>	0	7	1	6	7	4.3%
<i>Pseudomonas spp.</i>	2	4	2	4	6	3.7%
<i>Bacteroides spp.</i>	0	2	0	2	2	1.2%
<i>Haemophilus spp.</i>	1	1	2	0	2	1.2%
Other/unidentified	0	2	0	2	2	1.2%
<i>Providencia spp.</i>	1	1	2	0	2	1.2%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Salmonella spp.</i>	2	0	2	0	2	1.2%
<i>Acinetobacter spp.</i>	0	1	0	1	1	0.6%
<i>Clostridium spp.</i>	0	1	1	0	1	0.6%
<i>Morganella spp.</i>	0	1	0	1	1	0.6%
<i>Prevotella spp.</i>	0	1	0	1	1	0.6%
<i>Saccharomyces spp.</i>	0	1	1	0	1	0.6%
<i>Stenotrophomonas spp.</i>	0	1	0	1	1	0.6%
Total	57	106	79	84	163	100.0%
Other surgery						
<i>Escherichia spp.</i>	8	11	8	11	19	33.3%
<i>Enterobacter spp.</i>	1	5	2	3	6	10.5%
<i>Klebsiella spp.</i>	0	6	1	5	6	10.5%
<i>Coagulase-neg. staphylococci</i>	1	4	1	4	5	8.8%
<i>Pseudomonas spp.</i>	2	2	2	2	4	7.0%
<i>Staphylococcus aureus</i>	1	3	2	2	4	7.0%
<i>Candida spp.</i>	0	3	0	3	3	5.3%
<i>Alcaligenes spp.</i>	1	1	1	1	2	3.5%
<i>Proteus spp.</i>	0	2	1	1	2	3.5%
<i>Acinetobacter spp.</i>	0	1	0	1	1	1.8%
<i>Bacteroides spp.</i>	0	1	0	1	1	1.8%
<i>Clostridium spp.</i>	0	1	0	1	1	1.8%
<i>Enterococcus spp.</i>	1	0	1	0	1	1.8%
Other/unidentified	0	1	1	0	1	1.8%
<i>Streptococcus spp.</i>	0	1	0	1	1	1.8%
Total	15	42	20	36	57	100.0%
Geriatrics						
<i>Escherichia spp.</i>	71	116	81	106	187	26.7%
<i>Staphylococcus aureus</i>	20	96	27	89	116	16.6%
<i>Coagulase-neg. staphylococci</i>	16	63	22	57	79	11.3%
<i>Streptococcus spp.</i>	20	33	22	31	53	7.6%
<i>Klebsiella spp.</i>	13	36	16	33	49	7.0%
<i>Proteus spp.</i>	10	20	11	19	30	4.3%
<i>Pseudomonas spp.</i>	3	26	3	26	29	4.1%
<i>Candida spp.</i>	0	28	1	27	28	4.0%
<i>Enterococcus spp.</i>	8	19	11	16	27	3.9%
<i>Enterobacter spp.</i>	5	21	7	19	26	3.7%
<i>Acinetobacter spp.</i>	0	13	0	13	13	1.9%
<i>Bacteroides spp.</i>	6	6	6	6	12	1.7%
<i>Serratia spp.</i>	1	8	1	8	9	1.3%
<i>Morganella spp.</i>	1	7	1	7	8	1.1%
<i>Citrobacter spp.</i>	2	4	3	3	6	0.9%
<i>Clostridium spp.</i>	1	2	1	2	3	0.4%
Other/unidentified	0	3	0	3	3	0.4%
<i>Corynebacterium spp.</i>	1	1	1	1	2	0.3%
<i>Gemella spp.</i>	0	2	0	2	2	0.3%
<i>Prevotella spp.</i>	1	1	1	1	2	0.3%
<i>Providencia spp.</i>	1	1	1	1	2	0.3%
<i>Stenotrophomonas spp.</i>	0	2	0	2	2	0.3%
<i>Aerococcus spp.</i>	0	1	0	1	1	0.1%
<i>Agrobacterium spp.</i>	0	1	0	1	1	0.1%
<i>Alcaligenes spp.</i>	0	1	0	1	1	0.1%
<i>Cryptococcus spp.</i>	0	1	0	1	1	0.1%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Flavobacterium spp.</i>	0	1	0	1	1	0.1%
<i>Haemophilus spp.</i>	0	1	0	1	1	0.1%
<i>Hafnia spp.</i>	0	1	0	1	1	0.1%
<i>Lactobacillus spp.</i>	0	1	0	1	1	0.1%
Other/unspec. virus	0	1	0	1	1	0.1%
<i>Propionibacterium spp.</i>	1	0	1	0	1	0.1%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.1%
<i>Salmonella spp.</i>	1	0	1	0	1	0.1%
Total	182	518	218	482	700	100.0%
Gynecology						
<i>Escherichia spp.</i>	2	6	2	6	8	29.6%
<i>Streptococcus spp.</i>	1	5	3	3	6	22.2%
<i>Bacteroides spp.</i>	1	2	1	2	3	11.1%
<i>Candida spp.</i>	0	2	0	2	2	7.4%
<i>Enterococcus spp.</i>	0	2	1	1	2	7.4%
<i>Staphylococcus aureus</i>	0	2	0	2	2	7.4%
<i>Clostridium spp.</i>	0	1	1	0	1	3.7%
<i>Coagulase-neg. staphylococci</i>	0	1	0	1	1	3.7%
<i>Klebsiella spp.</i>	0	1	0	1	1	3.7%
<i>Morganella spp.</i>	0	1	0	1	1	3.7%
Total	4	23	8	19	27	100.0%
Intensive care						
<i>Coagulase-neg. staphylococci</i>	12	163	22	152	175	15.2%
<i>Escherichia spp.</i>	47	124	60	110	171	14.9%
<i>Enterococcus spp.</i>	7	115	11	111	122	10.6%
<i>Staphylococcus aureus</i>	20	91	27	84	111	9.6%
<i>Klebsiella spp.</i>	12	96	19	88	108	9.4%
<i>Pseudomonas spp.</i>	9	95	11	93	104	9.0%
<i>Candida spp.</i>	3	69	6	66	72	6.3%
<i>Streptococcus spp.</i>	40	31	46	25	71	6.2%
<i>Enterobacter spp.</i>	2	65	9	57	67	5.8%
<i>Proteus spp.</i>	5	17	5	17	22	1.9%
<i>Acinetobacter spp.</i>	2	18	2	18	20	1.7%
<i>Serratia spp.</i>	0	19	0	19	19	1.7%
<i>Morganella spp.</i>	1	17	2	16	18	1.6%
<i>Stenotrophomonas spp.</i>	1	14	1	13	15	1.3%
<i>Bacteroides spp.</i>	3	11	3	11	14	1.2%
<i>Citrobacter spp.</i>	1	8	1	8	9	0.8%
Other/unidentified	1	6	2	5	7	0.6%
<i>Haemophilus spp.</i>	0	6	0	6	6	0.5%
<i>Providencia spp.</i>	0	3	1	2	3	0.3%
<i>Saccharomyces spp.</i>	1	2	1	2	3	0.3%
<i>Burkholderia spp.</i>	1	1	1	1	2	0.2%
<i>Clostridium spp.</i>	0	2	2	0	2	0.2%
<i>Fusobacterium spp.</i>	0	2	0	2	2	0.2%
<i>Actinomyces spp.</i>	0	1	0	1	1	0.1%
<i>Bacillus spp.</i>	0	1	0	1	1	0.1%
<i>Capnocytophaga spp.</i>	0	1	0	1	1	0.1%
<i>Lactobacillus spp.</i>	0	1	0	1	1	0.1%
<i>Moraxella spp.</i>	1	0	1	0	1	0.1%
Other/unspec. fungi	0	1	0	1	1	0.1%
<i>Propionibacterium spp.</i>	1	0	1	0	1	0.1%

MICROORGANISM		<D3	>=D3	<D5	>=D5	TOTAL	%
	<i>Salmonella spp.</i>	1	0	1	0	1	0.1%
Total		171	980	235	911	1151	100.0%
Cardiology							
	<i>Escherichia spp.</i>	18	46	26	38	64	24.6%
	<i>Staphylococcus aureus</i>	10	40	15	35	50	19.2%
	<i>Coagulase-neg. staphylococci</i>	3	28	4	27	31	11.9%
	<i>Streptococcus spp.</i>	15	10	17	8	25	9.6%
	<i>Klebsiella spp.</i>	1	17	2	16	18	6.9%
	<i>Enterobacter spp.</i>	1	12	1	12	13	5.0%
	<i>Enterococcus spp.</i>	1	9	2	8	10	3.8%
	<i>Pseudomonas spp.</i>	2	8	2	8	10	3.8%
	<i>Acinetobacter spp.</i>	0	9	0	9	9	3.5%
	<i>Proteus spp.</i>	0	8	1	7	8	3.1%
	<i>Serratia spp.</i>	0	7	0	7	7	2.7%
	<i>Candida spp.</i>	0	5	1	4	5	1.9%
	<i>Morganella spp.</i>	0	4	1	3	4	1.5%
	Other/unidentified	2	1	2	1	3	1.2%
	<i>Clostridium spp.</i>	0	1	0	1	1	0.4%
	<i>Haemophilus spp.</i>	1	0	1	0	1	0.4%
	<i>Saccharomyces spp.</i>	0	1	0	1	1	0.4%
Total		54	206	75	185	260	100.0%
Endocrinology							
	<i>Coagulase-neg. staphylococci</i>	1	2	2	1	3	15.0%
	<i>Enterobacter spp.</i>	0	3	0	3	3	15.0%
	<i>Enterococcus spp.</i>	1	2	1	2	3	15.0%
	<i>Klebsiella spp.</i>	0	3	0	3	3	15.0%
	<i>Staphylococcus aureus</i>	1	2	1	2	3	15.0%
	<i>Escherichia spp.</i>	2	0	2	0	2	10.0%
	<i>Bacteroides spp.</i>	0	1	0	1	1	5.0%
	<i>Proteus spp.</i>	0	1	0	1	1	5.0%
	<i>Streptococcus spp.</i>	1	0	1	0	1	5.0%
Total		6	14	7	13	20	100.0%
Internal Medicine							
	<i>Escherichia spp.</i>	100	107	121	86	207	27.9%
	<i>Staphylococcus aureus</i>	28	90	38	80	118	15.9%
	<i>Coagulase-neg. staphylococci</i>	19	60	25	54	79	10.7%
	<i>Streptococcus spp.</i>	45	24	52	17	69	9.3%
	<i>Klebsiella spp.</i>	19	36	25	30	55	7.4%
	<i>Candida spp.</i>	2	39	2	39	41	5.5%
	<i>Enterococcus spp.</i>	4	30	10	24	34	4.6%
	<i>Pseudomonas spp.</i>	5	23	8	19	28	3.8%
	<i>Enterobacter spp.</i>	5	15	6	14	20	2.7%
	<i>Acinetobacter spp.</i>	2	14	3	13	16	2.2%
	<i>Proteus spp.</i>	7	8	8	7	15	2.0%
	<i>Bacteroides spp.</i>	5	2	5	2	7	0.9%
	<i>Serratia spp.</i>	1	5	1	5	6	0.8%
	<i>Citrobacter spp.</i>	1	4	2	3	5	0.7%
	<i>Fusobacterium spp.</i>	4	0	4	0	4	0.5%
	<i>Morganella spp.</i>	1	3	1	3	4	0.5%
	Other/unidentified	1	3	3	1	4	0.5%
	<i>Salmonella spp.</i>	2	2	2	2	4	0.5%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Bacillus spp.</i>	2	1	2	1	3	0.4%
<i>Stenotrophomonas spp.</i>	1	2	1	2	3	0.4%
<i>Corynebacterium spp.</i>	0	2	0	2	2	0.3%
<i>Haemophilus spp.</i>	1	1	1	1	2	0.3%
<i>Listeria spp.</i>	1	1	2	0	2	0.3%
<i>Propionibacterium spp.</i>	2	0	2	0	2	0.3%
<i>Achromobacter spp.</i>	1	0	1	0	1	0.1%
<i>Aerococcus spp.</i>	0	1	0	1	1	0.1%
<i>Aeromonas spp.</i>	0	1	0	1	1	0.1%
<i>Aspergillus spp.</i>	0	1	0	1	1	0.1%
<i>Flavobacterium spp.</i>	0	1	0	1	1	0.1%
<i>Hafnia spp.</i>	1	0	1	0	1	0.1%
<i>Lactobacillus spp.</i>	0	1	0	1	1	0.1%
<i>Micrococcus spp.</i>	0	1	0	1	1	0.1%
<i>Moraxella spp.</i>	1	0	1	0	1	0.1%
<i>Peptostreptococcus spp.</i>	0	1	0	1	1	0.1%
<i>Providencia spp.</i>	0	1	0	1	1	0.1%
Total	261	480	327	413	741	100.0%
Nephrology						
<i>Staphylococcus aureus</i>	17	21	18	20	38	23.5%
<i>Escherichia spp.</i>	18	14	19	13	32	19.8%
<i>Coagulase-neg. staphylococci</i>	11	10	12	9	21	13.0%
<i>Enterobacter spp.</i>	6	6	6	6	12	7.4%
<i>Enterococcus spp.</i>	3	8	4	7	11	6.8%
<i>Streptococcus spp.</i>	5	4	7	2	9	5.6%
<i>Klebsiella spp.</i>	1	7	2	6	8	4.9%
<i>Pseudomonas spp.</i>	5	2	6	1	7	4.3%
<i>Serratia spp.</i>	2	5	2	5	7	4.3%
<i>Acinetobacter spp.</i>	2	2	2	2	4	2.5%
<i>Proteus spp.</i>	2	1	2	1	3	1.9%
<i>Morganella spp.</i>	0	2	1	1	2	1.2%
<i>Stenotrophomonas spp.</i>	1	1	1	1	2	1.2%
<i>Aeromonas spp.</i>	1	0	1	0	1	0.6%
<i>Candida spp.</i>	0	1	0	1	1	0.6%
<i>Corynebacterium spp.</i>	0	1	0	1	1	0.6%
<i>Listeria spp.</i>	1	0	1	0	1	0.6%
<i>Micrococcus spp.</i>	0	1	0	1	1	0.6%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.6%
Total	75	87	84	78	162	100.0%
Oncology/Hematology						
<i>Escherichia spp.</i>	42	92	50	84	134	21.0%
<i>Coagulase-neg. staphylococci</i>	26	102	34	92	128	20.1%
<i>Streptococcus spp.</i>	20	48	24	44	68	10.7%
<i>Staphylococcus aureus</i>	15	42	17	40	57	8.9%
<i>Enterococcus spp.</i>	6	40	7	39	46	7.2%
<i>Pseudomonas spp.</i>	9	33	10	32	42	6.6%
<i>Klebsiella spp.</i>	7	29	8	27	36	5.7%
<i>Enterobacter spp.</i>	4	20	6	18	24	3.8%
<i>Candida spp.</i>	2	17	3	16	19	3.0%
<i>Acinetobacter spp.</i>	2	16	2	16	18	2.8%
<i>Stenotrophomonas spp.</i>	1	9	2	8	10	1.6%
<i>Bacillus spp.</i>	1	5	1	5	6	0.9%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Bacteroides spp.</i>	0	6	0	6	6	0.9%
Other/unidentified	0	5	0	5	5	0.8%
<i>Serratia spp.</i>	0	4	1	3	4	0.6%
<i>Citrobacter spp.</i>	0	3	0	3	3	0.5%
<i>Clostridium spp.</i>	1	2	1	2	3	0.5%
<i>Corynebacterium spp.</i>	0	3	0	3	3	0.5%
<i>Fusobacterium spp.</i>	0	3	0	3	3	0.5%
<i>Haemophilus spp.</i>	2	1	2	1	3	0.5%
<i>Proteus spp.</i>	1	2	1	2	3	0.5%
<i>Hafnia spp.</i>	0	2	0	2	2	0.3%
<i>Actinobacillus spp.</i>	0	1	0	1	1	0.2%
<i>Aerococcus spp.</i>	0	1	0	1	1	0.2%
<i>Aeromonas spp.</i>	0	1	0	1	1	0.2%
<i>Campylobacter spp.</i>	0	1	0	1	1	0.2%
<i>Chryseobacterium spp.</i>	0	1	0	1	1	0.2%
<i>Lactobacillus spp.</i>	0	1	0	1	1	0.2%
<i>Moraxella spp.</i>	0	1	0	1	1	0.2%
<i>Morganella spp.</i>	0	1	0	1	1	0.2%
<i>Neisseria spp.</i>	0	1	0	1	1	0.2%
Other enterobacteriaceae	0	1	0	1	1	0.2%
<i>Prevotella spp.</i>	0	1	1	0	1	0.2%
<i>Propionibacterium spp.</i>	1	0	1	0	1	0.2%
<i>Salmonella spp.</i>	1	0	1	0	1	0.2%
<i>Stomatococcus spp.</i>	1	0	1	0	1	0.2%
Total	142	495	173	461	637	100.0%
Pneumology						
<i>Escherichia spp.</i>	25	29	27	27	54	22.4%
<i>Streptococcus spp.</i>	34	10	35	9	44	18.3%
<i>Coagulase-neg. staphylococci</i>	11	13	11	13	24	10.0%
<i>Staphylococcus aureus</i>	3	20	3	20	23	9.5%
<i>Enterococcus spp.</i>	4	11	6	9	15	6.2%
<i>Klebsiella spp.</i>	5	10	6	9	15	6.2%
<i>Enterobacter spp.</i>	2	11	3	10	13	5.4%
<i>Pseudomonas spp.</i>	3	10	3	10	13	5.4%
<i>Acinetobacter spp.</i>	1	10	1	10	11	4.6%
<i>Serratia spp.</i>	1	6	1	6	7	2.9%
<i>Candida spp.</i>	2	3	2	3	5	2.1%
<i>Proteus spp.</i>	0	4	0	4	4	1.7%
Other/unidentified	1	2	1	2	3	1.2%
<i>Fusobacterium spp.</i>	1	1	1	1	2	0.8%
<i>Morganella spp.</i>	0	2	0	2	2	0.8%
<i>Stenotrophomonas spp.</i>	0	2	1	1	2	0.8%
<i>Bacteroides spp.</i>	0	1	1	0	1	0.4%
<i>Prevotella spp.</i>	0	1	0	1	1	0.4%
<i>Propionibacterium spp.</i>	1	0	1	0	1	0.4%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.4%
Total	94	147	103	138	241	100.0%
Medicine, other						
<i>Escherichia spp.</i>	26	40	32	34	66	24.2%
<i>Staphylococcus aureus</i>	13	24	14	23	37	13.6%
<i>Coagulase-neg. staphylococci</i>	4	28	6	26	32	11.7%
<i>Streptococcus spp.</i>	22	9	24	7	31	11.4%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Klebsiella spp.</i>	7	17	8	16	24	8.8%
<i>Enterobacter spp.</i>	3	10	5	8	13	4.8%
<i>Pseudomonas spp.</i>	5	8	5	8	13	4.8%
<i>Enterococcus spp.</i>	0	11	1	10	11	4.0%
<i>Candida spp.</i>	0	9	0	9	9	3.3%
<i>Acinetobacter spp.</i>	0	8	0	8	8	2.9%
<i>Morganella spp.</i>	0	4	1	3	4	1.5%
<i>Proteus spp.</i>	2	2	2	2	4	1.5%
<i>Bacteroides spp.</i>	0	3	0	3	3	1.1%
<i>Citrobacter spp.</i>	1	2	1	2	3	1.1%
<i>Salmonella spp.</i>	2	1	2	1	3	1.1%
<i>Neisseria spp.</i>	1	1	1	1	2	0.7%
<i>Peptostreptococcus spp.</i>	1	1	1	1	2	0.7%
<i>Achromobacter spp.</i>	1	0	1	0	1	0.4%
<i>Aeromonas spp.</i>	0	1	0	1	1	0.4%
<i>Bacillus spp.</i>	0	1	0	1	1	0.4%
<i>Corynebacterium spp.</i>	0	1	0	1	1	0.4%
<i>Haemophilus spp.</i>	0	1	0	1	1	0.4%
<i>Micrococcus spp.</i>	1	0	1	0	1	0.4%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.4%
<i>Stenotrophomonas spp.</i>	0	1	0	1	1	0.4%
Total	89	184	105	168	273	100.0%
Neonatal Intensive Care						
<i>Coagulase-neg. staphylococci</i>	1	39	3	37	40	51.9%
<i>Enterococcus spp.</i>	3	4	3	4	7	9.1%
<i>Staphylococcus aureus</i>	0	7	2	5	7	9.1%
<i>Streptococcus spp.</i>	3	4	3	4	7	9.1%
<i>Candida spp.</i>	0	4	0	4	4	5.2%
<i>Enterobacter spp.</i>	0	3	0	3	3	3.9%
<i>Escherichia spp.</i>	2	1	3	0	3	3.9%
<i>Pseudomonas spp.</i>	2	0	2	0	2	2.6%
<i>Bacillus spp.</i>	0	1	0	1	1	1.3%
<i>Campylobacter spp.</i>	1	0	1	0	1	1.3%
<i>Klebsiella spp.</i>	0	1	0	1	1	1.3%
<i>Proteus spp.</i>	1	0	1	0	1	1.3%
Total	13	64	18	59	77	100.0%
Obstetrics						
<i>Escherichia spp.</i>	6	6	10	2	12	40.0%
<i>Streptococcus spp.</i>	3	2	4	1	5	16.7%
<i>Staphylococcus aureus</i>	1	2	2	1	3	10.0%
<i>Coagulase-neg. staphylococci</i>	0	2	0	2	2	6.7%
<i>Klebsiella spp.</i>	0	2	0	2	2	6.7%
<i>Enterobacter spp.</i>	0	1	1	0	1	3.3%
<i>Enterococcus spp.</i>	0	1	1	0	1	3.3%
<i>Haemophilus spp.</i>	0	1	1	0	1	3.3%
<i>Morganella spp.</i>	0	1	0	1	1	3.3%
Other/unidentified	0	1	0	1	1	3.3%
<i>Proteus spp.</i>	0	1	0	1	1	3.3%
Total	10	20	19	11	30	100.0%
Otorhinolaryngology						
<i>Candida spp.</i>	0	2	0	1	2	40.0%

MICROORGANISM		<D3	>=D3	<D5	>=D5	TOTAL	%
	<i>Escherichia spp.</i>	0	1	0	1	1	20.0%
	<i>Klebsiella spp.</i>	0	1	0	1	1	20.0%
	<i>Staphylococcus aureus</i>	0	1	0	1	1	20.0%
Total		0	5	0	4	5	100.0%
Ophthalmology							
	<i>Streptococcus spp.</i>	1	0	1	0	1	100.0%
Total		1	0	1	0	1	100.0%
Pediatrics							
	<i>Streptococcus spp.</i>	34	10	38	6	44	31.9%
	<i>Coagulase-neg. staphylococci</i>	3	15	3	15	18	13.0%
	<i>Staphylococcus aureus</i>	11	6	11	6	17	12.3%
	<i>Escherichia spp.</i>	8	6	11	3	14	10.1%
	<i>Klebsiella spp.</i>	0	8	1	7	8	5.8%
	<i>Enterobacter spp.</i>	0	6	2	4	6	4.3%
	<i>Enterococcus spp.</i>	0	5	0	5	5	3.6%
	<i>Acinetobacter spp.</i>	3	1	3	1	4	2.9%
	<i>Candida spp.</i>	0	4	0	4	4	2.9%
	<i>Pseudomonas spp.</i>	0	4	2	2	4	2.9%
	<i>Moraxella spp.</i>	2	0	2	0	2	1.4%
	<i>Neisseria spp.</i>	1	1	2	0	2	1.4%
	Other/unidentified	0	2	0	2	2	1.4%
	<i>Aspergillus spp.</i>	1	0	1	0	1	0.7%
	<i>Eikenella spp.</i>	0	1	0	1	1	0.7%
	<i>Haemophilus spp.</i>	1	0	1	0	1	0.7%
	<i>Lactobacillus spp.</i>	0	1	0	1	1	0.7%
	<i>Micrococcus spp.</i>	1	0	1	0	1	0.7%
	<i>Morganella spp.</i>	0	1	0	1	1	0.7%
	<i>Salmonella spp.</i>	0	1	0	1	1	0.7%
	<i>Stenotrophomonas spp.</i>	0	1	0	1	1	0.7%
Total		65	73	78	60	138	100.0%
Psychiatry							
	<i>Escherichia spp.</i>	1	4	2	3	5	50.0%
	<i>Streptococcus spp.</i>	0	2	0	2	2	20.0%
	<i>Bacteroides spp.</i>	0	1	0	1	1	10.0%
	<i>Klebsiella spp.</i>	0	1	0	1	1	10.0%
	<i>Staphylococcus aureus</i>	0	1	0	1	1	10.0%
Total		1	9	2	8	10	100.0%
Revalidation							
	<i>Escherichia spp.</i>	3	15	4	14	18	24.3%
	<i>Staphylococcus aureus</i>	0	11	0	11	11	14.9%
	<i>Proteus spp.</i>	0	7	0	6	7	9.5%
	<i>Klebsiella spp.</i>	0	6	0	6	6	8.1%
	<i>Streptococcus spp.</i>	0	6	0	6	6	8.1%
	<i>Candida spp.</i>	0	5	0	5	5	6.8%
	<i>Enterococcus spp.</i>	0	5	0	5	5	6.8%
	<i>Pseudomonas spp.</i>	0	4	0	4	4	5.4%
	<i>Bacteroides spp.</i>	0	3	0	3	3	4.1%
	<i>Enterobacter spp.</i>	0	3	0	3	3	4.1%
	<i>Acinetobacter spp.</i>	0	1	0	1	1	1.4%
	<i>Clostridium spp.</i>	0	1	0	1	1	1.4%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Coagulase-neg. staphylococci</i>	0	1	0	1	1	1.4%
<i>Gemella spp.</i>	0	1	0	1	1	1.4%
<i>Peptostreptococcus spp.</i>	0	1	0	1	1	1.4%
<i>Serratia spp.</i>	0	1	0	1	1	1.4%
Total	3	71	4	69	74	100.0%
Trauma/Emergency						
<i>Escherichia spp.</i>	77	1	77	1	78	30.7%
<i>Streptococcus spp.</i>	64	1	64	1	65	25.6%
<i>Coagulase-neg. staphylococci</i>	15	5	15	5	20	7.9%
<i>Klebsiella spp.</i>	17	2	17	2	19	7.5%
<i>Staphylococcus aureus</i>	15	0	15	0	15	5.9%
<i>Pseudomonas spp.</i>	9	3	9	3	12	4.7%
<i>Enterobacter spp.</i>	7	3	7	3	10	3.9%
<i>Bacteroides spp.</i>	8	0	8	0	8	3.1%
<i>Enterococcus spp.</i>	5	0	5	0	5	2.0%
<i>Proteus spp.</i>	4	0	4	0	4	1.6%
<i>Serratia spp.</i>	4	0	4	0	4	1.6%
<i>Acinetobacter spp.</i>	1	1	2	0	2	0.8%
<i>Candida spp.</i>	2	0	2	0	2	0.8%
<i>Clostridium spp.</i>	2	0	2	0	2	0.8%
<i>Neisseria spp.</i>	1	1	1	1	2	0.8%
<i>Eubacterium spp.</i>	1	0	1	0	1	0.4%
<i>Fusobacterium spp.</i>	1	0	1	0	1	0.4%
<i>Listeria spp.</i>	1	0	1	0	1	0.4%
Other/unidentified	1	0	1	0	1	0.4%
<i>Peptostreptococcus spp.</i>	1	0	1	0	1	0.4%
<i>Salmonella spp.</i>	1	0	1	0	1	0.4%
Total	237	17	238	16	254	100.0%
Other types						
<i>Escherichia spp.</i>	21	21	26	16	42	26.9%
<i>Streptococcus spp.</i>	27	3	27	3	30	19.2%
<i>Staphylococcus aureus</i>	7	6	7	6	13	8.3%
<i>Klebsiella spp.</i>	2	10	2	10	12	7.7%
<i>Enterococcus spp.</i>	5	5	5	5	10	6.4%
<i>Coagulase-neg. staphylococci</i>	1	8	2	7	9	5.8%
<i>Pseudomonas spp.</i>	2	5	3	4	7	4.5%
<i>Proteus spp.</i>	1	4	1	4	5	3.2%
<i>Acinetobacter spp.</i>	0	4	0	4	4	2.6%
<i>Bacteroides spp.</i>	2	2	2	2	4	2.6%
<i>Candida spp.</i>	1	3	1	3	4	2.6%
<i>Enterobacter spp.</i>	2	1	2	1	3	1.9%
<i>Morganella spp.</i>	2	1	2	1	3	1.9%
<i>Citrobacter spp.</i>	1	1	1	1	2	1.3%
<i>Haemophilus spp.</i>	1	0	1	0	1	0.6%
<i>Lactobacillus spp.</i>	0	1	0	1	1	0.6%
<i>Listeria spp.</i>	0	1	0	1	1	0.6%
<i>Neisseria spp.</i>	1	0	1	0	1	0.6%
Other/unidentified	0	1	0	1	1	0.6%
<i>Providencia spp.</i>	1	0	1	0	1	0.6%
<i>Serratia spp.</i>	0	1	0	1	1	0.6%
<i>Stenotrophomonas spp.</i>	0	1	0	1	1	0.6%
Total	77	79	84	72	156	100.0%

B. Detailed, in alphabetic order

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
Unknown						
ACINETOBACTER BAUMANNII	2	0	2	0	2	2.4%
CANDIDA ALBICANS	0	1	1	0	1	1.2%
CANDIDA GLABRATA	0	1	0	1	1	1.2%
CITROBACTER FREUNDII	0	1	0	1	1	1.2%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	1	2	1	2	3	3.6%
ENTEROBACTER AEROGENES	3	0	3	0	3	3.6%
ENTEROBACTER CLOACAE	0	1	0	1	1	1.2%
ENTEROCOCCUS FAECALIS	2	0	2	0	2	2.4%
ESCHERICHIA COLI	10	8	12	6	18	21.7%
ESCHERICHIA SPECIES, NOT SPECIFIED	2	0	2	0	2	2.4%
GRAM POSITIVE COCCI, NOT SPECIFIED	1	1	2	0	2	2.4%
KLEBSIELLA OXYTOCA	2	3	2	3	5	6.0%
MICROSPORUM EQUINUM	0	1	0	1	1	1.2%
MORGANELLA MORGANII	0	1	0	1	1	1.2%
PEPTOCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	1.2%
PROTEUS MIRABILIS	0	1	0	1	1	1.2%
PSEUDOMONAS AERUGINOSA	0	1	0	1	1	1.2%
SPHINGOBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	1.2%
STAPHYLOCOCCUS AUREUS	5	1	5	1	6	7.2%
STAPHYLOCOCCUS CAPITIS	0	3	0	3	3	3.6%
STAPHYLOCOCCUS EPIDERMIDIS	4	3	5	2	7	8.4%
STAPHYLOCOCCUS HAEMOLYTICUS	1	2	1	2	3	3.6%
STAPHYLOCOCCUS HOMINIS	3	3	4	2	6	7.2%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	3	0	3	0	3	3.6%
STAPHYLOCOCCUS WARNERI	1	0	1	0	1	1.2%
STREPTOCOCCUS PNEUMONIAE	0	1	0	1	1	1.2%
STREPTOCOCCUS PYOGENES	1	0	1	0	1	1.2%
STREPTOCOCCUS SALIVARIUS	1	0	1	0	1	1.2%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	0	2	0	2	2.4%
STREPTOCOCCUS VIRIDANS	1	0	1	0	1	1.2%
VEILLONELLA PARVULA	1	0	1	0	1	1.2%
Total	48	35	54	29	83	100.0%
General/abdom surg.						
ACINETOBACTER BAUMANNII	1	2	2	1	3	0.8%
ACINETOBACTER HAEMOLYTICUS	0	2	1	1	2	0.5%
ACINETOBACTER LWOFFI	0	1	0	1	1	0.3%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
AEROMONAS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
ANAEROBES, NOT SPECIFIED	0	1	0	1	1	0.3%
BACILLUS CEREUS	0	1	0	1	1	0.3%
BACTEROIDES CAPILLOSUS	0	2	0	2	2	0.5%
BACTEROIDES DISTASONIS	1	0	1	0	1	0.3%
BACTEROIDES EGGERTHII	1	0	1	0	1	0.3%
BACTEROIDES FRAGILIS	1	6	2	5	7	1.8%
BACTEROIDES SPECIES, NOT SPECIFIED	0	4	0	4	4	1.0%
BACTEROIDES THETAIOAOMICRON	0	1	1	0	1	0.3%
BIFIDOBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.3%
CANDIDA ALBICANS	0	13	0	13	13	3.4%
CANDIDA GLABRATA	1	5	1	5	6	1.5%
CANDIDA PARAPSILOSIS	0	1	0	1	1	0.3%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
CANDIDA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
CITROBACTER FREUNDII	0	3	0	3	3	0.8%
CLOSTRIDIUM RAMOSUM	0	1	0	1	1	0.3%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	18	0	18	18	4.6%
COCCIDIOIDES SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
ECHINOCOCCUS GRANULOSUS	0	2	1	1	2	0.5%
ENTEROBACTER AEROGENES	2	7	3	6	9	2.3%
ENTEROBACTER CLOACAE	0	10	1	9	10	2.6%
ENTEROCOCCUS AVIUM	0	1	0	1	1	0.3%
ENTEROCOCCUS FAECALIS	1	13	2	12	14	3.6%
ENTEROCOCCUS FAECIUM	0	7	0	7	7	1.8%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	4	0	4	4	1.0%
ENTEROPATHOGENIC ESCHERICHIA COLI	0	1	0	1	1	0.3%
ESCHERICHIA COLI	12	68	20	60	80	20.6%
ESCHERICHIA SPECIES, NOT SPECIFIED	1	1	2	0	2	0.5%
EUBACTERIUM LIMOSUM	0	1	0	1	1	0.3%
FUSOBACTERIUM MORTIFERUM	0	1	1	0	1	0.3%
FUSOBACTERIUM NUCLEATUM	0	1	0	1	1	0.3%
HAEMOPHILUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
KLEBSIELLA OXYTOCA	1	9	3	7	10	2.6%
KLEBSIELLA PNEUMONIAE	4	27	8	23	31	8.0%
LACTOCOCCUS GARVIAE	0	1	0	1	1	0.3%
LECLERCIA ADECARBOXYLATA	0	1	0	1	1	0.3%
MORGANELLA MORGANII	0	5	0	5	5	1.3%
PREVOTELLA ORALIS	0	1	0	1	1	0.3%
PROPIONIBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
PROTEUS MIRABILIS	0	8	1	7	8	2.1%
PSEUDOMONAS AERUGINOSA	0	10	0	10	10	2.6%
PSEUDOMONAS DIMINUTA	0	1	0	1	1	0.3%
SACCHAROMYCES SPECIES, NOT SPECIFIED	0	1	0	1	1	0.3%
SARCOCYSTIS HOMINIS	0	1	0	1	1	0.3%
SERRATIA MARCESCENS	0	8	0	8	8	2.1%
STAPHYLOCOCCUS AUREUS	4	41	6	39	45	11.6%
STAPHYLOCOCCUS CAPITIS	1	0	1	0	1	0.3%
STAPHYLOCOCCUS EPIDERMIDIS	3	17	4	15	20	5.2%
STAPHYLOCOCCUS HOMINIS	1	1	2	0	2	0.5%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	1	1	2	0	2	0.5%
STAPHYLOCOCCUS WARNERI	0	1	0	1	1	0.3%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	11	0	11	11	2.8%
STOMATOCOCCUS MUCILAGINOSUS	0	1	0	1	1	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	0	1	0	1	1	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	0	1	0	1	1	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	1	0	1	0	1	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP F	0	1	0	1	1	0.3%
STREPTOCOCCUS ANGINOSUS	0	2	0	2	2	0.5%
STREPTOCOCCUS MILLERI	0	1	0	1	1	0.3%
STREPTOCOCCUS MITIS	0	3	0	3	3	0.8%
STREPTOCOCCUS PNEUMONIAE	3	0	3	0	3	0.8%
STREPTOCOCCUS SALIVARIUS	0	1	0	1	1	0.3%
STREPTOCOCCUS SANGUIS	0	1	0	1	1	0.3%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	3	3	2	5	1.3%
STREPTOCOCCUS VIRIDANS	0	1	0	1	1	0.3%
Total	43	345	74	313	388	100.0%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
Cardiovasc.surg						
BACILLUS CEREUS	0	1	0	1	1	0.9%
BACILLUS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.9%
BACTEROIDES FRAGILIS	0	2	0	2	2	1.8%
CANDIDA ALBICANS	0	3	0	3	3	2.7%
CANDIDA GLABRATA	0	1	0	1	1	0.9%
CITROBACTER DIVERSUS	0	1	0	1	1	0.9%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	3	0	3	3	2.7%
ENTEROBACTER AEROGENES	0	4	1	3	4	3.6%
ENTEROBACTER CLOACAE	0	6	0	6	6	5.4%
ENTEROCOCCUS FAECALIS	1	8	2	7	9	8.0%
ESCHERICHIA COLI	0	12	0	12	12	10.7%
HAEMOPHILUS INFLUENZAE	0	1	0	1	1	0.9%
HAFNIA ALVEI	0	1	0	1	1	0.9%
KLEBSIELLA OXYTOCA	0	5	0	5	5	4.5%
KLEBSIELLA PNEUMONIAE	2	3	2	3	5	4.5%
MORGANELLA MORGANII	1	2	1	2	3	2.7%
PREVOTELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.9%
PROTEUS MIRABILIS	0	2	0	2	2	1.8%
PROTEUS VULGARIS	0	1	0	1	1	0.9%
PSEUDOMONAS AERUGINOSA	2	3	2	3	5	4.5%
SERRATIA MARCESCENS	0	6	0	6	6	5.4%
STAPHYLOCOCCUS AUREUS	6	17	7	16	23	20.5%
STAPHYLOCOCCUS EPIDERMIDIS	0	4	0	4	4	3.6%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	2	0	2	0	2	1.8%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	0	1	0	1	1	0.9%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	1	0	1	0	1	0.9%
STREPTOCOCCUS BOVIS	0	1	0	1	1	0.9%
STREPTOCOCCUS MILLERI	0	1	0	1	1	0.9%
STREPTOCOCCUS MITIS	0	1	0	1	1	0.9%
STREPTOCOCCUS OF GROUP D	0	1	0	1	1	0.9%
STREPTOCOCCUS PNEUMONIAE	0	1	0	1	1	0.9%
STREPTOCOCCUS SALIVARIUS	0	1	0	1	1	0.9%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	0	1	1	0	1	0.9%
STREPTOCOCCUS VIRIDANS	1	0	1	0	1	0.9%
Total	17	95	21	91	112	100.0%
Mixed surgical/medic						
ACINETOBACTER BAUMANNII	0	4	0	4	4	3.1%
ACINETOBACTER HAEMOLYTICUS	0	1	0	1	1	0.8%
BACTEROIDES FRAGILIS	0	3	0	3	3	2.3%
BACTEROIDES SPECIES, NOT SPECIFIED	1	0	1	0	1	0.8%
BACTEROIDES UNIFORMIS	1	0	1	0	1	0.8%
BURKHOLDERIA CEPACIA	0	1	0	1	1	0.8%
CAMPYLOBACTER FETUS FETUS	1	0	1	0	1	0.8%
CANDIDA ALBICANS	0	9	0	9	9	7.0%
CANDIDA PARAPSILOSIS	0	1	0	1	1	0.8%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	2	0	2	2	1.6%
ENTEROBACTER AEROGENES	0	3	1	2	3	2.3%
ENTEROBACTER CLOACAE	1	6	1	6	7	5.4%
ENTEROBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.8%
ENTEROCOCCUS FAECALIS	0	3	1	2	3	2.3%
ENTEROCOCCUS FAECIUM	0	3	0	3	3	2.3%
ESCHERICHIA COLI	11	17	15	13	28	21.7%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
EUBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.8%
KLEBSIELLA OXYTOCA	0	2	0	2	2	1.6%
KLEBSIELLA PNEUMONIAE	2	6	3	5	8	6.2%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	2	0	2	2	1.6%
NEISSERIA MENINGITIDIS	1	0	1	0	1	0.8%
PROTEUS MIRABILIS	0	1	0	1	1	0.8%
PROVIDENCIA STUARTII	0	1	0	1	1	0.8%
PSEUDOMONAS AERUGINOSA	1	2	2	1	3	2.3%
SALMONELLA OF GROUP B	1	0	1	0	1	0.8%
SALMONELLA TYPHI	1	0	1	0	1	0.8%
SERRATIA MARCESCENS	0	1	0	1	1	0.8%
STAPHYLOCOCCUS AUREUS	5	13	6	12	18	14.0%
STAPHYLOCOCCUS EPIDERMIDIS	1	2	1	2	3	2.3%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	0.8%
STAPHYLOCOCCUS HOMINIS	0	1	0	1	1	0.8%
STENOTROPHOMONAS MALTOPHILIA	0	1	0	1	1	0.8%
STREPTOCOCCUS BOVIS	0	1	0	1	1	0.8%
STREPTOCOCCUS MITIS	0	1	0	1	1	0.8%
STREPTOCOCCUS PNEUMONIAE	6	4	6	4	10	7.8%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	0	2	0	2	1.6%
Total	36	93	45	84	129	100.0%
Neurosurgery						
ACINETOBACTER BAUMANNII	0	1	0	1	1	1.4%
ACINETOBACTER LWOFFI	0	1	0	1	1	1.4%
BACTEROIDES FRAGILIS	0	1	0	1	1	1.4%
BACTEROIDES OVATUS	0	1	0	1	1	1.4%
CITROBACTER FREUNDII	0	1	0	1	1	1.4%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	6	0	6	6	8.1%
ENTEROBACTER AEROGENES	0	2	0	2	2	2.7%
ENTEROBACTER CLOACAE	0	3	0	3	3	4.1%
ENTEROCOCCUS FAECALIS	0	4	0	4	4	5.4%
ENTEROCOCCUS FAECIUM	0	1	0	1	1	1.4%
ESCHERICHIA COLI	0	16	1	15	16	21.6%
KLEBSIELLA PNEUMONIAE	0	4	0	4	4	5.4%
MORGANELLA MORGANII	0	1	0	1	1	1.4%
PANTOEA AGGLOMERANS	0	1	1	0	1	1.4%
PSEUDOMONAS AERUGINOSA	0	3	0	3	3	4.1%
PSEUDOMONAS PUTIDA	0	1	0	1	1	1.4%
SERRATIA MARCESCENS	0	1	0	1	1	1.4%
STAPHYLOCOCCUS AUREUS	2	8	3	7	10	13.5%
STAPHYLOCOCCUS CAPITIS	0	1	0	1	1	1.4%
STAPHYLOCOCCUS EPIDERMIDIS	0	3	0	3	3	4.1%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	1.4%
STAPHYLOCOCCUS HOMINIS	0	1	0	1	1	1.4%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	1.4%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	4	0	4	4	5.4%
STREPTOCOCCUS MITIS	0	1	0	1	1	1.4%
STREPTOCOCCUS PNEUMONIAE	1	1	1	1	2	2.7%
STREPTOCOCCUS PYOGENES	0	1	0	1	1	1.4%
STREPTOCOCCUS VIRIDANS	0	1	0	1	1	1.4%
Total	4	70	7	67	74	100.0%
Orthopedics						

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
ACINETOBACTER BAUMANNII	0	6	0	6	6	5.3%
ACINETOBACTER HAEMOLYTICUS	0	1	0	1	1	0.9%
BACTEROIDES SPECIES, NOT SPECIFIED	0	1	0	1	1	0.9%
CANDIDA ALBICANS	1	1	1	1	2	1.8%
CANDIDA GLABRATA	0	1	0	1	1	0.9%
CANDIDA TROPICALIS	0	1	0	1	1	0.9%
CLOSTRIDIUM PERFRINGENS	1	0	1	0	1	0.9%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	1	1	1	1	2	1.8%
ENTEROBACTER AEROGENES	0	7	1	6	7	6.1%
ENTEROBACTER CLOACAE	1	7	1	7	8	7.0%
ENTEROBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.9%
ENTEROCOCCUS FAECALIS	0	4	0	4	4	3.5%
ESCHERICHIA COLI	0	16	0	16	16	14.0%
GRAM POSITIVE COCCI, NOT SPECIFIED	1	0	1	0	1	0.9%
KLEBSIELLA OXYTOCA	0	2	0	2	2	1.8%
KLEBSIELLA PNEUMONIAE	0	7	0	7	7	6.1%
MORGANELLA MORGANII	0	1	0	1	1	0.9%
PROTEUS MIRABILIS	0	1	0	1	1	0.9%
PROVIDENCIA STUARTII	0	1	0	1	1	0.9%
PSEUDOMONAS AERUGINOSA	0	7	0	7	7	6.1%
SACCHAROMYCES CEREVISIAE	0	1	0	1	1	0.9%
SERRATIA MARCESCENS	0	1	0	1	1	0.9%
STAPHYLOCOCCUS AUREUS	7	20	9	18	27	23.7%
STAPHYLOCOCCUS CAPITIS	1	0	1	0	1	0.9%
STAPHYLOCOCCUS EPIDERMIDIS	0	1	0	1	1	0.9%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	0.9%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	1	1	0	1	0.9%
STREPTOCOCCI, ALPHA-HEMOLYTIC	0	1	0	1	1	0.9%
STREPTOCOCCUS ANGINOSUS	0	1	0	1	1	0.9%
STREPTOCOCCUS BOVIS	0	1	0	1	1	0.9%
STREPTOCOCCUS MITIS	1	3	1	3	4	3.5%
STREPTOCOCCUS PNEUMONIAE	0	1	0	1	1	0.9%
STREPTOCOCCUS PYOGENES	1	0	1	0	1	0.9%
STREPTOCOCCUS VIRIDANS	0	1	0	1	1	0.9%
Total	15	99	19	95	114	100.0%
Plastic surgery						
AGROBACTERIUM RADIOBACTER	0	1	0	1	1	10.0%
BACTEROIDES FRAGILIS	1	0	1	0	1	10.0%
BACTEROIDES OVATUS	0	1	0	1	1	10.0%
CANDIDA ALBICANS	0	2	0	2	2	20.0%
CANDIDA GLABRATA	0	1	0	1	1	10.0%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	1	0	1	1	10.0%
ENTEROCOCCUS FAECALIS	0	1	0	1	1	10.0%
ESCHERICHIA COLI	0	1	0	1	1	10.0%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	10.0%
Total	1	9	1	9	10	100.0%
Urology						
ACINETOBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.6%
BACTEROIDES FRAGILIS	0	2	0	2	2	1.2%
CANDIDA ALBICANS	0	3	0	3	3	1.8%
CANDIDA GLABRATA	0	3	0	3	3	1.8%
CANDIDA TROPICALIS	0	1	0	1	1	0.6%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
CLOSTRIDIUM PERFRINGENS	0	1	1	0	1	0.6%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	2	1	2	1	3	1.8%
ECHINOCOCCUS GRANULOSUS	0	1	0	1	1	0.6%
ENTEROBACTER AEROGENES	0	4	1	3	4	2.5%
ENTEROBACTER CLOACAE	0	6	0	6	6	3.7%
ENTEROCOCCUS FAECALIS	0	5	0	5	5	3.1%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	2	1	1	2	1.2%
ESCHERICHIA COLI	27	24	35	16	51	31.3%
HAEMOPHILUS INFLUENZAE	1	0	1	0	1	0.6%
HAEMOPHILUS PARAINFLUENZAE	0	1	1	0	1	0.6%
KLEBSIELLA OXYTOCA	0	3	0	3	3	1.8%
KLEBSIELLA PNEUMONIAE	5	3	6	2	8	4.9%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	1	0	1	1	0.6%
MORGANELLA MORGANII	0	1	0	1	1	0.6%
PREVOTELLA BIVIA	0	1	0	1	1	0.6%
PROTEUS MIRABILIS	1	6	1	6	7	4.3%
PROVIDENCIA RETTGERI	1	0	1	0	1	0.6%
PROVIDENCIA STUARTII	0	1	1	0	1	0.6%
PSEUDOMONAS AERUGINOSA	2	3	2	3	5	3.1%
PSEUDOMONAS PUTIDA	0	1	0	1	1	0.6%
SACCHAROMYCES CEREVISIAE	0	1	1	0	1	0.6%
SALMONELLA OF GROUP B	1	0	1	0	1	0.6%
SALMONELLA TYPHI	1	0	1	0	1	0.6%
SERRATIA MARCESCENS	0	7	1	6	7	4.3%
STAPHYLOCOCCUS AUREUS	6	12	9	9	18	11.0%
STAPHYLOCOCCUS EPIDERMIDIS	2	4	2	4	6	3.7%
STAPHYLOCOCCUS HOMINIS	1	0	1	0	1	0.6%
STAPHYLOCOCCUS SCHLEIFERI	0	1	1	0	1	0.6%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	1	0	1	0	1	0.6%
STENOTROPHOMONAS MALTOPHILIA	0	1	0	1	1	0.6%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	1	1	2	0	2	1.2%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	0	1	0	1	1	0.6%
STREPTOCOCCUS OF GROUP D	1	0	1	0	1	0.6%
STREPTOCOCCUS PNEUMONIAE	4	1	5	0	5	3.1%
STREPTOCOCCUS PYOGENES	0	1	0	1	1	0.6%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.6%
Total	57	106	79	84	163	100.0%
Other surgery						
ACINETOBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	1.8%
ALCALIGENES SPECIES, NOT SPECIFIED	1	0	1	0	1	1.8%
ALCALIGENES XYLOSOXIDANS SPECIES XYLOSOX	0	1	0	1	1	1.8%
BACTEROIDES EGGERTHII	0	1	0	1	1	1.8%
CANDIDA ALBICANS	0	3	0	3	3	5.3%
CLOSTRIDIUM TERTIUM	0	1	0	1	1	1.8%
ENTEROBACTER AEROGENES	0	2	1	0	2	3.5%
ENTEROBACTER CLOACAE	1	3	1	3	4	7.0%
ENTEROCOCCUS FAECALIS	1	0	1	0	1	1.8%
ESCHERICHIA COLI	8	11	8	11	19	33.3%
KLEBSIELLA ORNITHINOLYTICA	0	1	0	1	1	1.8%
KLEBSIELLA OXYTOCA	0	2	0	2	2	3.5%
KLEBSIELLA PNEUMONIAE	0	3	1	2	3	5.3%
PROTEUS MIRABILIS	0	2	1	1	2	3.5%
PSEUDOMONAS AERUGINOSA	1	2	1	2	3	5.3%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
PSEUDOMONAS SPECIES, NOT SPECIFIED	1	0	1	0	1	1.8%
STAPHYLOCOCCUS AUREUS	1	3	2	2	4	7.0%
STAPHYLOCOCCUS EPIDERMIDIS	1	3	1	3	4	7.0%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	1	0	1	1	1.8%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP F	0	1	0	1	1	1.8%
VEILLONELLA SPECIES, NOT SPECIFIED	0	1	1	0	1	1.8%
Total	15	42	20	36	57	100.0%
Geriatrics						
ACINETOBACTER BAUMANNII	0	4	0	4	4	0.6%
ACINETOBACTER HAEMOLYTICUS	0	1	0	1	1	0.1%
ACINETOBACTER LWOFFI	0	2	0	2	2	0.3%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	6	0	6	6	0.9%
AEROCOCCUS VIRIDANS	0	1	0	1	1	0.1%
AGROBACTERIUM RADIOBACTER	0	1	0	1	1	0.1%
ALCALIGENES XYLOSOXIDANS SPECIES XYLOSOX	0	1	0	1	1	0.1%
BACTEROIDES EGGERTHII	1	0	1	0	1	0.1%
BACTEROIDES FRAGILIS	4	3	4	3	7	1.0%
BACTEROIDES SPECIES, NOT SPECIFIED	1	2	1	2	3	0.4%
BACTEROIDES VULGATUS	0	1	0	1	1	0.1%
CANDIDA ALBICANS	0	14	0	14	14	2.0%
CANDIDA GLABRATA	0	7	1	6	7	1.0%
CANDIDA PARAPSILOSIS	0	5	0	5	5	0.7%
CANDIDA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
CANDIDA TROPICALIS	0	1	0	1	1	0.1%
CITROBACTER FREUNDII	1	3	1	3	4	0.6%
CITROBACTER INTERMEDIUS	1	0	1	0	1	0.1%
CITROBACTER SPECIES, NOT SPECIFIED	0	1	1	0	1	0.1%
CLOSTRIDIUM PERFRINGENS	1	2	1	2	3	0.4%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	5	20	5	20	25	3.6%
CORYNEBACTERIUM SPECIES, NOT SPECIFIED	1	1	1	1	2	0.3%
CRYPTOCOCCUS NEOFORMANS	0	1	0	1	1	0.1%
ENTEROBACTER AEROGENES	3	13	3	13	16	2.3%
ENTEROBACTER CLOACAE	0	7	2	5	7	1.0%
ENTEROBACTER GERGOVIAE	1	0	1	0	1	0.1%
ENTEROBACTER SPECIES, NOT SPECIFIED	1	1	1	1	2	0.3%
ENTEROCOCCUS DURANS	0	2	0	2	2	0.3%
ENTEROCOCCUS FAECALIS	5	8	6	7	13	1.9%
ENTEROCOCCUS FAECIUM	1	4	2	3	5	0.7%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	2	5	3	4	7	1.0%
ESCHERICHIA COLI	71	116	81	106	187	26.7%
FLAVOBACTERIUM INDOLOGENES	0	1	0	1	1	0.1%
FUNGI, NOT SPECIFIED	0	1	0	1	1	0.1%
GEMELLA HAEMOLYSANS	0	1	0	1	1	0.1%
GEMELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
HAEMOPHILUS INFLUENZAE	0	1	0	1	1	0.1%
HAFNIA ALVEI	0	1	0	1	1	0.1%
KLEBSIELLA OXYTOCA	0	7	0	7	7	1.0%
KLEBSIELLA PLANTICOLA	0	1	0	1	1	0.1%
KLEBSIELLA PNEUMONIAE	13	27	16	24	40	5.7%
KLEBSIELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
MORGANELLA MORGANII	1	7	1	7	8	1.1%
PREVOTELLA BIVIA	1	0	1	0	1	0.1%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
PREVOTELLA BUCCAE	0	1	0	1	1	0.1%
PROPIONIBACTERIUM ACNES	1	0	1	0	1	0.1%
PROTEUS MIRABILIS	9	20	10	19	29	4.1%
PROTEUS VULGARIS	1	0	1	0	1	0.1%
PROVIDENCIA RETTGERI	0	1	0	1	1	0.1%
PROVIDENCIA STUARTII	1	0	1	0	1	0.1%
PSEUDOMONAS AERUGINOSA	3	26	3	26	29	4.1%
ROTHIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
SACCHAROMYCES CEREVISIAE	0	1	0	1	1	0.1%
SALMONELLA OF GROUP B	1	0	1	0	1	0.1%
SERRATIA MARCESCENS	1	8	1	8	9	1.3%
SPHINGOBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
STAPHYLOCOCCUS AUREUS	20	96	27	89	116	16.6%
STAPHYLOCOCCUS CAPITIS	2	2	2	2	4	0.6%
STAPHYLOCOCCUS EPIDERMIDIS	2	23	6	19	25	3.6%
STAPHYLOCOCCUS HAEMOLYTICUS	2	0	2	0	2	0.3%
STAPHYLOCOCCUS HOMINIS	2	3	3	2	5	0.7%
STAPHYLOCOCCUS WARNERI	1	2	1	2	3	0.4%
STAPHYLOCOCCUS XYLOSUS	0	1	0	1	1	0.1%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	2	12	3	11	14	2.0%
STENOTROPHOMONAS MALTOPHILIA	0	2	0	2	2	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC	1	0	1	0	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	0	2	0	2	2	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	1	2	2	1	3	0.4%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	1	0	1	0	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP G	1	0	1	0	1	0.1%
STREPTOCOCCUS AGALACTIAE	2	0	2	0	2	0.3%
STREPTOCOCCUS ANGINOSUS	0	1	0	1	1	0.1%
STREPTOCOCCUS BOVIS	2	3	3	2	5	0.7%
STREPTOCOCCUS MITIS	0	1	0	1	1	0.1%
STREPTOCOCCUS PNEUMONIAE	9	11	9	11	20	2.9%
STREPTOCOCCUS PYOGENES	1	1	1	1	2	0.3%
STREPTOCOCCUS SALIVARIUS	0	1	0	1	1	0.1%
STREPTOCOCCUS SANGUIS	0	1	0	1	1	0.1%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	1	2	1	3	0.4%
STREPTOCOCCUS VIRIDANS	0	9	0	9	9	1.3%
VIRUS, OTHER	0	1	0	1	1	0.1%
Total	182	518	218	482	700	100.0%
Gynecology						
BACTEROIDES FRAGILIS	1	2	1	2	3	11.1%
CANDIDA ALBICANS	0	2	0	2	2	7.4%
CLOSTRIDIUM PERFRINGENS	0	1	1	0	1	3.7%
ENTEROCOCCUS FAECALIS	0	1	1	0	1	3.7%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	3.7%
ESCHERICHIA COLI	2	6	2	6	8	29.6%
KLEBSIELLA PNEUMONIAE	0	1	0	1	1	3.7%
MORGANELLA MORGANII	0	1	0	1	1	3.7%
STAPHYLOCOCCUS AUREUS	0	2	0	2	2	7.4%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	1	0	1	1	3.7%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	1	1	1	1	2	7.4%
STREPTOCOCCUS PYOGENES	0	3	1	2	3	11.1%
STREPTOCOCCUS SUIS	0	1	1	0	1	3.7%
Total	4	23	8	19	27	100.0%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
Intensive care						
ACINETOBACTER BAUMANNII	2	13	2	13	15	1.3%
ACINETOBACTER HAEMOLYTICUS	0	1	0	1	1	0.1%
ACINETOBACTER LWOFFI	0	2	0	2	2	0.2%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	2	0	2	2	0.2%
ACTINOMYCES VISCOSUS	0	1	0	1	1	0.1%
BACILLUS CEREUS	0	1	0	1	1	0.1%
BACTEROIDES FRAGILIS	3	9	3	9	12	1.0%
BACTEROIDES SPECIES, NOT SPECIFIED	0	2	0	2	2	0.2%
BIFIDOBACTERIUM SPECIES, NOT SPECIFIED	0	1	1	0	1	0.1%
BURKHOLDERIA CEPACIA	1	1	1	1	2	0.2%
CANDIDA ALBICANS	1	36	2	35	37	3.2%
CANDIDA GLABRATA	1	21	2	20	22	1.9%
CANDIDA KRUSEI	0	1	1	0	1	0.1%
CANDIDA PARAPSILOSIS	0	5	0	5	5	0.4%
CANDIDA SPECIES, NOT SPECIFIED	0	2	0	2	2	0.2%
CANDIDA TROPICALIS	1	4	1	4	5	0.4%
CAPNOCYTOPHAGIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
CITROBACTER BRAAKII	1	0	1	0	1	0.1%
CITROBACTER DIVERSUS	0	1	0	1	1	0.1%
CITROBACTER FREUNDII	0	5	0	5	5	0.4%
CITROBACTER SPECIES, NOT SPECIFIED	0	2	0	2	2	0.2%
CLOSTRIDIUM PERFRINGENS	0	1	1	0	1	0.1%
CLOSTRIDIUM TERTIUM	0	1	1	0	1	0.1%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	4	61	8	57	65	5.6%
ENTEROBACTER AEROGENES	1	31	5	27	32	2.8%
ENTEROBACTER CLOACAE	1	33	4	29	34	3.0%
ENTEROBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
ENTEROCOCCUS AVIUM	1	0	1	0	1	0.1%
ENTEROCOCCUS DURANS	0	1	0	1	1	0.1%
ENTEROCOCCUS FAECALIS	4	85	5	84	89	7.7%
ENTEROCOCCUS FAECIUM	0	17	2	15	17	1.5%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	2	12	3	11	14	1.2%
ESCHERICHIA COLI	46	123	59	109	169	14.7%
ESCHERICHIA SPECIES, NOT SPECIFIED	1	1	1	1	2	0.2%
FUSOBACTERIUM NUCLEATUM	0	1	0	1	1	0.1%
FUSOBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
GRAM POSITIVE BACILLI, NOT SPECIFIED	0	1	0	1	1	0.1%
HAEMOPHILUS INFLUENZAE	0	5	0	5	5	0.4%
HAEMOPHILUS PARAINFLUENZAE	0	1	0	1	1	0.1%
KLEBSIELLA ORNITHINOLYTICA	1	0	1	0	1	0.1%
KLEBSIELLA OXYTOCA	3	28	5	26	31	2.7%
KLEBSIELLA PNEUMONIAE	8	68	13	62	76	6.6%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	3	0	3	3	0.3%
MORAXELLA CATARRHALIS	1	0	1	0	1	0.1%
MORGANELLA MORGANII	1	17	2	16	18	1.6%
PROPIONIBACTERIUM ACNES	1	0	1	0	1	0.1%
PROTEUS MIRABILIS	4	13	4	13	17	1.5%
PROTEUS SPECIES, NOT SPECIFIED	0	2	0	2	2	0.2%
PROTEUS VULGARIS	1	2	1	2	3	0.3%
PROVIDENCIA STUARTII	0	3	1	2	3	0.3%
PSEUDOMONAS AERUGINOSA	9	91	11	89	100	8.7%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
PSEUDOMONAS FLUORESCENS	0	1	0	1	1	0.1%
PSEUDOMONAS MALTOPHILIA	0	1	0	1	1	0.1%
PSEUDOMONAS STUTZERI	0	2	0	2	2	0.2%
SACCHAROMYCES CEREVISIAE	1	2	1	2	3	0.3%
SALMONELLA SPECIES, NOT SPECIFIED	1	0	1	0	1	0.1%
SERRATIA LIQUEFACIENS	0	1	0	1	1	0.1%
SERRATIA MARCESCENS	0	18	0	18	18	1.6%
SPHINGOBACTERIUM MIZUTAE	1	0	1	0	1	0.1%
STAPHYLOCOCCUS AUREUS	19	90	26	83	109	9.5%
STAPHYLOCOCCUS CAPITIS	0	3	0	3	3	0.3%
STAPHYLOCOCCUS EPIDERMIDIS	3	49	7	44	52	4.5%
STAPHYLOCOCCUS HAEMOLYTICUS	0	10	1	9	10	0.9%
STAPHYLOCOCCUS HOMINIS	2	10	3	9	12	1.0%
STAPHYLOCOCCUS SCHLEIFERI	0	2	0	2	2	0.2%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	1	1	1	1	2	0.2%
STAPHYLOCOCCUS XYLOSUS	0	1	0	1	1	0.1%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	3	27	3	27	30	2.6%
STENOTROPHOMONAS MALTOPHILIA	1	14	1	13	15	1.3%
STREPTOCOCCI, ALPHA-HEMOLYTIC	1	0	1	0	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	2	0	2	0	2	0.2%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	0	1	0	1	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	1	0	1	0	1	0.1%
STREPTOCOCCUS ADJACENS	0	1	0	1	1	0.1%
STREPTOCOCCUS ANGINOSUS	1	4	1	4	5	0.4%
STREPTOCOCCUS MILLERI	0	2	0	2	2	0.2%
STREPTOCOCCUS MITIS	1	3	1	3	4	0.3%
STREPTOCOCCUS OF GROUP D	2	2	2	2	4	0.3%
STREPTOCOCCUS PNEUMONIAE	27	9	30	6	36	3.1%
STREPTOCOCCUS PYOGENES	0	2	2	0	2	0.2%
STREPTOCOCCUS SALIVARIUS	1	0	1	0	1	0.1%
STREPTOCOCCUS SANGUIS	1	1	1	1	2	0.2%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	1	3	1	3	4	0.3%
STREPTOCOCCUS VIRIDANS	2	3	3	2	5	0.4%
TRICHOSPORON SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
VEILLONELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
Total	171	980	235	911	1151	100.0%
Cardiology						
ACINETOBACTER BAUMANNII	0	3	0	3	3	1.2%
ACINETOBACTER LWOFFI	0	1	0	1	1	0.4%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	5	0	5	5	1.9%
CANDIDA ALBICANS	0	3	1	2	3	1.2%
CANDIDA PARAPSILOSIS	0	1	0	1	1	0.4%
CANDIDA TROPICALIS	0	1	0	1	1	0.4%
CLOSTRIDIUM PERFRINGENS	0	1	0	1	1	0.4%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	1	1	1	1	2	0.8%
ENTEROBACTER AEROGENES	1	9	1	9	10	3.8%
ENTEROBACTER CLOACAE	0	3	0	3	3	1.2%
ENTEROCOCCUS FAECALIS	1	7	2	6	8	3.1%
ENTEROCOCCUS FAECIUM	0	1	0	1	1	0.4%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
ESCHERICHIA COLI	18	46	26	38	64	24.6%
G-BAC, NON ENTEROBACTERIACEAE, NOT SPEC.	1	1	1	1	2	0.8%
HAEMOPHILUS INFLUENZAE	1	0	1	0	1	0.4%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
KLEBSIELLA OXYTOCA	0	4	0	4	4	1.5%
KLEBSIELLA PNEUMONIAE	1	12	2	11	13	5.0%
KLEBSIELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
MORGANELLA MORGANII	0	4	1	3	4	1.5%
PROTEUS MIRABILIS	0	6	1	5	6	2.3%
PROTEUS VULGARIS	0	2	0	2	2	0.8%
PSEUDOMONAS AERUGINOSA	2	7	2	7	9	3.5%
PSEUDOMONAS FLUORESCENS	0	1	0	1	1	0.4%
SACCHAROMYCES CEREVISIAE	0	1	0	1	1	0.4%
SERRATIA LIQUEFACIENS	0	3	0	3	3	1.2%
SERRATIA MARCESCENS	0	4	0	4	4	1.5%
SPHINGOBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
STAPHYLOCOCCUS AUREUS	10	40	15	35	50	19.2%
STAPHYLOCOCCUS AURICULARIS	0	1	0	1	1	0.4%
STAPHYLOCOCCUS EPIDERMIDIS	1	9	1	9	10	3.8%
STAPHYLOCOCCUS HAEMOLYTICUS	0	2	0	2	2	0.8%
STAPHYLOCOCCUS HOMINIS	0	1	0	1	1	0.4%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	1	14	2	13	15	5.8%
STREPTOCOCCUS AGALACTIAE	1	1	1	1	2	0.8%
STREPTOCOCCUS BOVIS	1	0	1	0	1	0.4%
STREPTOCOCCUS MITIS	1	1	1	1	2	0.8%
STREPTOCOCCUS OF GROUP D	1	0	1	0	1	0.4%
STREPTOCOCCUS PNEUMONIAE	7	4	7	4	11	4.2%
STREPTOCOCCUS SALIVARIUS	0	1	1	0	1	0.4%
STREPTOCOCCUS SANGUIS	1	2	2	1	3	1.2%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	1	2	1	3	1.2%
STREPTOCOCCUS VIRIDANS	1	0	1	0	1	0.4%
Total	54	206	75	185	260	100.0%
Endocrinology						
BACTEROIDES FRAGILIS	0	1	0	1	1	5.0%
ENTEROBACTER AEROGENES	0	2	0	2	2	10.0%
ENTEROBACTER CLOACAE	0	1	0	1	1	5.0%
ENTEROCOCCUS FAECALIS	1	2	1	2	3	15.0%
ESCHERICHIA COLI	2	0	2	0	2	10.0%
KLEBSIELLA PNEUMONIAE	0	3	0	3	3	15.0%
PROTEUS MIRABILIS	0	1	0	1	1	5.0%
STAPHYLOCOCCUS AUREUS	1	2	1	2	3	15.0%
STAPHYLOCOCCUS EPIDERMIDIS	1	0	1	0	1	5.0%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	2	1	1	2	10.0%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	1	0	1	0	1	5.0%
Total	6	14	7	13	20	100.0%
Internal Medicine						
ACHROMOBACTER XYLOSOXIDANS	1	0	1	0	1	0.1%
ACIDAMINOCOCCUS SPECIES, NOT SPECIFIED	0	1	1	0	1	0.1%
ACINETOBACTER BAUMANNII	1	9	2	8	10	1.3%
ACINETOBACTER HAEMOLYTICUS	0	1	0	1	1	0.1%
ACINETOBACTER JUNII	0	1	0	1	1	0.1%
ACINETOBACTER LWOFFI	1	2	1	2	3	0.4%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
AEROOCOCCUS VIRIDANS	0	1	0	1	1	0.1%
AEROMONAS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
ASPERGILLUS FUMIGATUS	0	1	0	1	1	0.1%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
BACILLUS CEREUS	1	0	1	0	1	0.1%
BACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
BACILLUS SUBTILIS	1	0	1	0	1	0.1%
BACTEROIDES CAPILLOSUS	0	1	0	1	1	0.1%
BACTEROIDES FRAGILIS	3	1	3	1	4	0.5%
BACTEROIDES SPECIES, NOT SPECIFIED	2	0	2	0	2	0.3%
CANDIDA ALBICANS	2	23	2	23	25	3.4%
CANDIDA GLABRATA	0	8	0	8	8	1.1%
CANDIDA PARAPSILOSIS	0	4	0	4	4	0.5%
CANDIDA SPECIES, NOT SPECIFIED	0	2	0	2	2	0.3%
CANDIDA TROPICALIS	0	2	0	2	2	0.3%
CITROBACTER DIVERSUS	0	1	0	1	1	0.1%
CITROBACTER FREUNDII	1	3	2	2	4	0.5%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	8	19	9	18	27	3.6%
CORYNEBACTERIUM JEIKEIUM	0	1	0	1	1	0.1%
CORYNEBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
ENTEROBACTER AEROGENES	2	7	2	7	9	1.2%
ENTEROBACTER CLOACAE	3	7	4	6	10	1.3%
ENTEROBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
ENTEROCOCCUS FAECALIS	4	21	9	16	25	3.4%
ENTEROCOCCUS FAECIUM	0	5	0	5	5	0.7%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	4	1	3	4	0.5%
ESCHERICHIA BLATTAE	1	0	1	0	1	0.1%
ESCHERICHIA COLI	99	107	120	86	206	27.8%
FLAVOBACTERIUM INDOLOGENES	0	1	0	1	1	0.1%
FUSOBACTERIUM NUCLEATUM	3	0	3	0	3	0.4%
FUSOBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.1%
G-BAC, NON ENTEROBACTERIACEAE, NOT SPEC.	0	1	1	0	1	0.1%
HAEMOPHILUS INFLUENZAE	1	0	1	0	1	0.1%
HAEMOPHILUS PARAINFLUENZAE	0	1	0	1	1	0.1%
HAFNIA ALVEI	1	0	1	0	1	0.1%
KLEBSIELLA OXYTOCA	7	8	10	5	15	2.0%
KLEBSIELLA OZAENAE	1	0	1	0	1	0.1%
KLEBSIELLA PNEUMONIAE	11	28	14	25	39	5.3%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
LISTERIA MONOCYTOGENES	1	1	2	0	2	0.3%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	1	1	1	1	2	0.3%
MICROCOCCUS SPECIES	0	1	0	1	1	0.1%
MORAXELLA SPECIES, NOT SPECIFIED	1	0	1	0	1	0.1%
MORGANELLA MORGANII	1	3	1	3	4	0.5%
PEPTOSTREPTOCOCCUS PREVOTII	0	1	0	1	1	0.1%
PROPIONIBACTERIUM ACNES	2	0	2	0	2	0.3%
PROTEUS MIRABILIS	7	6	8	5	13	1.8%
PROTEUS VULGARIS	0	2	0	2	2	0.3%
PROVIDENCIA RETTGERI	0	1	0	1	1	0.1%
PSEUDOMONAS AERUGINOSA	4	22	7	18	26	3.5%
PSEUDOMONAS PAUCIMOBILIS	1	0	1	0	1	0.1%
PSEUDOMONAS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.1%
SALMONELLA OF GROUP D	1	1	1	1	2	0.3%
SALMONELLA TYPHIMURIUM	1	1	1	1	2	0.3%
SERRATIA LIQUEFACIENS	1	1	1	1	2	0.3%
SERRATIA MARCESCENS	0	4	0	4	4	0.5%
STAPHYLOCOCCUS AUREUS	27	89	37	79	116	15.7%
STAPHYLOCOCCUS CAPITIS	0	1	0	1	1	0.1%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
STAPHYLOCOCCUS EPIDERMIDIS	4	18	4	18	22	3.0%
STAPHYLOCOCCUS HOMINIS	3	7	5	5	10	1.3%
STAPHYLOCOCCUS SCHLEIFERI	0	1	0	1	1	0.1%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	1	1	1	1	2	0.3%
STAPHYLOCOCCUS WARNERI	1	3	3	1	4	0.5%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	3	11	4	10	14	1.9%
STENOTROPHOMONAS MALTOPHILIA	1	2	1	2	3	0.4%
STREPTOCOCCI, ALPHA-HEMOLYTIC	1	0	1	0	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	4	1	4	1	5	0.7%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	3	0	3	0	3	0.4%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	1	0	1	0	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP F	1	0	1	0	1	0.1%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP G	3	0	3	0	3	0.4%
STREPTOCOCCUS AGALACTIAE	2	2	4	0	4	0.5%
STREPTOCOCCUS ANGINOSUS	1	0	1	0	1	0.1%
STREPTOCOCCUS BOVIS	0	2	1	1	2	0.3%
STREPTOCOCCUS MITIS	1	3	3	1	4	0.5%
STREPTOCOCCUS OF GROUP D	1	1	1	1	2	0.3%
STREPTOCOCCUS PNEUMONIAE	21	6	22	5	27	3.6%
STREPTOCOCCUS PYOGENES	1	1	2	0	2	0.3%
STREPTOCOCCUS SALIVARIUS	0	3	0	3	3	0.4%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	1	2	1	3	0.4%
STREPTOCOCCUS VIRIDANS	3	4	3	4	7	0.9%
Total	261	480	327	413	741	100.0%
Nephrology						
ACINETOBACTER BAUMANNII	2	0	2	0	2	1.2%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	2	0	2	2	1.2%
AEROMONAS HYDROPHILA	1	0	1	0	1	0.6%
CANDIDA ALBICANS	0	1	0	1	1	0.6%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	3	2	3	2	5	3.1%
CORYNEBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.6%
ENTEROBACTER AEROGENES	5	2	5	2	7	4.3%
ENTEROBACTER CLOACAE	1	4	1	4	5	3.1%
ENTEROCOCCUS FAECALIS	2	6	2	6	8	4.9%
ENTEROCOCCUS FAECIUM	0	1	0	1	1	0.6%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	1	1	2	0	2	1.2%
ESCHERICHIA COLI	18	14	19	13	32	19.8%
KLEBSIELLA OXYTOCA	0	4	0	4	4	2.5%
KLEBSIELLA PNEUMONIAE	1	3	2	2	4	2.5%
LISTERIA MONOCYTOGENES	1	0	1	0	1	0.6%
MICROCOCCUS SPECIES	0	1	0	1	1	0.6%
MORGANELLA MORGANII	0	1	0	1	1	0.6%
MORGANELLA SPECIES, NOT SPECIFIED	0	1	1	0	1	0.6%
PROTEUS MIRABILIS	2	1	2	1	3	1.9%
PSEUDOMONAS AERUGINOSA	4	2	5	1	6	3.7%
PSEUDOMONAS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.6%
SACCHAROMYCES CEREVISIAE	0	1	0	1	1	0.6%
SERRATIA LIQUEFACIENS	0	1	0	1	1	0.6%
SERRATIA MARCESCENS	2	4	2	4	6	3.7%
STAPHYLOCOCCUS AUREUS	17	21	18	20	38	23.5%
STAPHYLOCOCCUS EPIDERMIDIS	5	2	6	1	7	4.3%
STAPHYLOCOCCUS HOMINIS	0	1	0	1	1	0.6%
STAPHYLOCOCCUS SCHLEIFERI	0	1	0	1	1	0.6%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	3	4	3	4	7	4.3%
STENOTROPHOMONAS MALTOPHILIA	1	1	1	1	2	1.2%
STREPTOCOCCUS MUTANS	0	1	0	1	1	0.6%
STREPTOCOCCUS OF GROUP D	1	0	1	0	1	0.6%
STREPTOCOCCUS PNEUMONIAE	1	2	3	0	3	1.9%
STREPTOCOCCUS PYOGENES	1	0	1	0	1	0.6%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.6%
STREPTOCOCCUS VIRIDANS	1	1	1	1	2	1.2%
Total	75	87	84	78	162	100.0%
Oncology/Hematology						
ACINETOBACTER BAUMANNII	1	8	1	8	9	1.4%
ACINETOBACTER LWOFFI	0	3	0	3	3	0.5%
ACINETOBACTER SPECIES, NOT SPECIFIED	1	5	1	5	6	0.9%
ACTINOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
AEROCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
AEROMONAS HYDROPHILA	0	1	0	1	1	0.2%
BACILLUS SPECIES, NOT SPECIFIED	1	5	1	5	6	0.9%
BACTEROIDES FRAGILIS	0	4	0	4	4	0.6%
BACTEROIDES SPECIES, NOT SPECIFIED	0	2	0	2	2	0.3%
CALYMMATOBACTERIUM GRANULOMATIS	0	1	0	1	1	0.2%
CAMPYLOBACTER FETUS FETUS	0	1	0	1	1	0.2%
CANDIDA ALBICANS	2	12	3	11	14	2.2%
CANDIDA GLABRATA	0	1	0	1	1	0.2%
CANDIDA KRUSEI	0	1	0	1	1	0.2%
CANDIDA PARAPSILOSIS	0	1	0	1	1	0.2%
CANDIDA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
CANDIDA TROPICALIS	0	1	0	1	1	0.2%
CHRYSEOBACTERIUM MENINGOSEPTICUM	0	1	0	1	1	0.2%
CITROBACTER FREUNDII	0	3	0	3	3	0.5%
CLOSTRIDIUM SUBTERMINALE	1	0	1	0	1	0.2%
CLOSTRIDIUM TERTIUM	0	2	0	2	2	0.3%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	2	36	5	33	38	6.0%
CORYNEBACTERIUM JEIKEIUM	0	1	0	1	1	0.2%
CORYNEBACTERIUM SPECIES, NOT SPECIFIED	0	2	0	2	2	0.3%
ENTEROBACTER AEROGENES	3	9	4	8	12	1.9%
ENTEROBACTER AGGLOMERANS	1	0	1	0	1	0.2%
ENTEROBACTER CLOACAE	0	10	1	9	10	1.6%
ENTEROBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
ENTEROCOCCUS AVIUM	0	1	0	1	1	0.2%
ENTEROCOCCUS FAECALIS	5	23	5	23	28	4.4%
ENTEROCOCCUS FAECIUM	1	13	2	12	14	2.2%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	3	0	3	3	0.5%
ENTEROPATHOGENIC ESCHERICHIA COLI	0	1	0	1	1	0.2%
ESCHERICHIA COLI	42	91	50	83	133	20.9%
FUSARIUM SPECIES	0	1	0	1	1	0.2%
FUSOBACTERIUM NUCLEATUM	0	2	0	2	2	0.3%
FUSOBACTERIUM SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
G-BAC, NON ENTEROBACTERIACEAE, NOT SPEC.	0	1	0	1	1	0.2%
HAEMOPHILUS INFLUENZAE	2	1	2	1	3	0.5%
HAFNIA ALVEI	0	2	0	2	2	0.3%
KLEBSIELLA OXYTOCA	2	9	3	8	11	1.7%
KLEBSIELLA PNEUMONIAE	5	20	5	19	25	3.9%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
LEPTOTRICHIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	1	0	1	1	0.2%
MORAXELLA NONLIQUEFACIENS	0	1	0	1	1	0.2%
MORGANELLA MORGANII	0	1	0	1	1	0.2%
NEISSERIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
PREVOTELLA SPECIES, NOT SPECIFIED	0	1	1	0	1	0.2%
PROPIONIBACTERIUM ACNES	1	0	1	0	1	0.2%
PROTEUS MIRABILIS	1	2	1	2	3	0.5%
PSEUDOMONAS AERUGINOSA	8	31	9	30	39	6.1%
PSEUDOMONAS MALTOPHILIA	0	1	0	1	1	0.2%
PSEUDOMONAS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.2%
PSEUDOMONAS STUTZERI	1	0	1	0	1	0.2%
RAHNELLA AQUATI	0	1	0	1	1	0.2%
SALMONELLA SPECIES, NOT SPECIFIED	1	0	1	0	1	0.2%
SERRATIA LIQUEFACIENS	0	1	1	0	1	0.2%
SERRATIA MARCESCENS	0	3	0	3	3	0.5%
STAPHYLOCOCCUS AUREUS	14	42	16	40	56	8.8%
STAPHYLOCOCCUS CAPITIS	0	1	0	1	1	0.2%
STAPHYLOCOCCUS EPIDERMIDIS	16	41	19	36	57	8.9%
STAPHYLOCOCCUS HAEMOLYTICUS	1	4	1	4	5	0.8%
STAPHYLOCOCCUS HOMINIS	2	7	2	7	9	1.4%
STAPHYLOCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.2%
STAPHYLOCOCCUS WARNERI	1	0	1	0	1	0.2%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	4	13	6	11	17	2.7%
STENOTROPHOMONAS MALTOPHILIA	1	9	2	8	10	1.6%
STOMATOCOCCUS MUCILAGINOSUS	1	0	1	0	1	0.2%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	0	1	0	1	1	0.2%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	0	3	1	2	3	0.5%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	0	2	0	2	2	0.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP F	0	1	1	0	1	0.2%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP G	0	1	0	1	1	0.2%
STREPTOCOCCUS BOVIS	3	0	3	0	3	0.5%
STREPTOCOCCUS MILLERI	0	1	0	1	1	0.2%
STREPTOCOCCUS MITIS	2	14	3	13	16	2.5%
STREPTOCOCCUS OF GROUP D	0	1	0	1	1	0.2%
STREPTOCOCCUS PNEUMONIAE	9	6	9	6	15	2.4%
STREPTOCOCCUS SALIVARIUS	2	3	2	3	5	0.8%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	5	2	5	7	1.1%
STREPTOCOCCUS VIRIDANS	2	10	3	9	12	1.9%
Total	142	495	173	461	637	100.0%
Pneumology						
ACINETOBACTER BAUMANNII	0	7	0	7	7	2.9%
ACINETOBACTER LWOFFI	0	2	0	2	2	0.8%
ACINETOBACTER SPECIES, NOT SPECIFIED	1	1	1	1	2	0.8%
BACTEROIDES SPECIES, NOT SPECIFIED	0	1	1	0	1	0.4%
CANDIDA ALBICANS	1	1	1	1	2	0.8%
CANDIDA PARAPSILOSIS	0	1	0	1	1	0.4%
CANDIDA SPECIES, NOT SPECIFIED	1	1	1	1	2	0.8%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	4	2	4	2	6	2.5%
ENTEROBACTER AEROGENES	1	6	2	5	7	2.9%
ENTEROBACTER CLOACAE	1	5	1	5	6	2.5%
ENTEROCOCCUS FAECALIS	3	6	3	6	9	3.7%
ENTEROCOCCUS FAECIUM	1	2	2	1	3	1.2%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	3	1	2	3	1.2%
ESCHERICHIA COLI	25	29	27	27	54	22.4%
FUSOBACTERIUM NECROPHORUM	0	1	0	1	1	0.4%
FUSOBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
GRAM POSITIVE BACILLI, NOT SPECIFIED	1	0	1	0	1	0.4%
KLEBSIELLA OXYTOCA	2	3	3	2	5	2.1%
KLEBSIELLA PNEUMONIAE	3	7	3	7	10	4.1%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	2	0	2	2	0.8%
MORGANELLA MORGANII	0	2	0	2	2	0.8%
PREVOTELLA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
PROPIONIBACTERIUM ACNES	1	0	1	0	1	0.4%
PROTEUS MIRABILIS	0	2	0	2	2	0.8%
PROTEUS SPECIES, NOT SPECIFIED	0	2	0	2	2	0.8%
PSEUDOMONAS AERUGINOSA	2	9	2	9	11	4.6%
PSEUDOMONAS PUTIDA	0	1	0	1	1	0.4%
PSEUDOMONAS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
SACCHAROMYCES CEREVISIAE	0	1	0	1	1	0.4%
SERRATIA MARCESCENS	1	6	1	6	7	2.9%
STAPHYLOCOCCUS AUREUS	3	20	3	20	23	9.5%
STAPHYLOCOCCUS EPIDERMIDIS	5	6	5	6	11	4.6%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	0.4%
STAPHYLOCOCCUS HOMINIS	1	1	1	1	2	0.8%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	1	3	1	3	4	1.7%
STENOTROPHOMONAS MALTOPHILIA	0	2	1	1	2	0.8%
STREPTOCOCCI, BETA-HEMOLYTIC	2	0	2	0	2	0.8%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	0	1	0	1	1	0.4%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP G	1	0	1	0	1	0.4%
STREPTOCOCCUS MITIS	1	0	1	0	1	0.4%
STREPTOCOCCUS PNEUMONIAE	27	4	27	4	31	12.9%
STREPTOCOCCUS PYOGENES	0	1	0	1	1	0.4%
STREPTOCOCCUS SALIVARIUS	1	0	1	0	1	0.4%
STREPTOCOCCUS SANGUIS	1	0	1	0	1	0.4%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	1	1	1	1	2	0.8%
STREPTOCOCCUS VIRIDANS	0	3	1	2	3	1.2%
Total	94	147	103	138	241	100.0%
Medicine, other						
ACHROMOBACTER XYLOSOXIDANS	1	0	1	0	1	0.4%
ACINETOBACTER BAUMANNII	0	2	0	2	2	0.7%
ACINETOBACTER HAEMOLYTICUS	0	1	0	1	1	0.4%
ACINETOBACTER LWOFFI	0	2	0	2	2	0.7%
ACINETOBACTER SPECIES, NOT SPECIFIED	0	3	0	3	3	1.1%
AEROMONAS HYDROPHILA	0	1	0	1	1	0.4%
BACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
BACTEROIDES FRAGILIS	0	1	0	1	1	0.4%
BACTEROIDES OVATUS	0	1	0	1	1	0.4%
BACTEROIDES SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
CANDIDA ALBICANS	0	3	0	3	3	1.1%
CANDIDA GLABRATA	0	3	0	3	3	1.1%
CANDIDA KRUSEI	0	1	0	1	1	0.4%
CANDIDA PARAPSILOSIS	0	2	0	2	2	0.7%
CITROBACTER FREUNDII	1	1	1	1	2	0.7%
CITROBACTER SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	3	2	3	2	5	1.8%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
CORYNEBACTERIUM PSEUDODIPHTERICUM	0	1	0	1	1	0.4%
ENTEROBACTER AEROGENES	0	5	2	3	5	1.8%
ENTEROBACTER CLOACAE	3	5	3	5	8	2.9%
ENTEROCOCCUS FAECALIS	0	6	1	5	6	2.2%
ENTEROCOCCUS FAECIUM	0	2	0	2	2	0.7%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	3	0	3	3	1.1%
ESCHERICHIA COLI	26	40	32	34	66	24.2%
HAEMOPHILUS INFLUENZAE	0	1	0	1	1	0.4%
KLEBSIELLA OXYTOCA	0	4	0	4	4	1.5%
KLEBSIELLA PNEUMONIAE	7	13	8	12	20	7.3%
MICROCOCCUS SPECIES	1	0	1	0	1	0.4%
MORGANELLA MORGANII	0	4	1	3	4	1.5%
NEISSERIA MENINGITIDIS	1	0	1	0	1	0.4%
NEISSERIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.4%
PEPTOSTREPTOCOCCUS ASACCHAROLYTICUS	0	1	0	1	1	0.4%
PEPTOSTREPTOCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
PROTEUS MIRABILIS	2	2	2	2	4	1.5%
PSEUDOMONAS AERUGINOSA	4	7	4	7	11	4.0%
PSEUDOMONAS PAUCIMOBILIS	1	0	1	0	1	0.4%
PSEUDOMONAS PUTIDA	0	1	0	1	1	0.4%
SACCHAROMYCES CEREVISIAE	0	1	0	1	1	0.4%
SALMONELLA OF GROUP D	0	1	0	1	1	0.4%
SALMONELLA TYPHI	2	0	2	0	2	0.7%
STAPHYLOCOCCUS AUREUS	13	24	14	23	37	13.6%
STAPHYLOCOCCUS EPIDERMIDIS	0	19	1	18	19	7.0%
STAPHYLOCOCCUS HOMINIS	0	5	1	4	5	1.8%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	1	2	1	2	3	1.1%
STENOTROPHOMONAS MALTOPHILIA	0	1	0	1	1	0.4%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	1	0	1	0	1	0.4%
STREPTOCOCCUS AGALACTIAE	1	0	1	0	1	0.4%
STREPTOCOCCUS ANGINOSUS	1	0	1	0	1	0.4%
STREPTOCOCCUS BOVIS	2	2	3	1	4	1.5%
STREPTOCOCCUS MITIS	0	1	0	1	1	0.4%
STREPTOCOCCUS PNEUMONIAE	12	5	12	5	17	6.2%
STREPTOCOCCUS PYOGENES	1	1	2	0	2	0.7%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	0	2	0	2	0.7%
STREPTOCOCCUS VIRIDANS	2	0	2	0	2	0.7%
Total	89	184	105	168	273	100.0%
Neonatal Intensive Care						
BACILLUS SUBTILIS	0	1	0	1	1	1.3%
CAMPYLOBACTER FETUS FETUS	1	0	1	0	1	1.3%
CANDIDA ALBICANS	0	1	0	1	1	1.3%
CANDIDA GLABRATA	0	2	0	2	2	2.6%
CANDIDA KRUSEI	0	1	0	1	1	1.3%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	19	1	18	19	24.7%
ENTEROBACTER AEROGENES	0	1	0	1	1	1.3%
ENTEROBACTER CLOACAE	0	2	0	2	2	2.6%
ENTEROCOCCUS FAECALIS	3	2	3	2	5	6.5%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	2	0	2	2	2.6%
ESCHERICHIA COLI	2	1	3	0	3	3.9%
KLEBSIELLA PNEUMONIAE	0	1	0	1	1	1.3%
PROTEUS MIRABILIS	1	0	1	0	1	1.3%
PSEUDOMONAS AERUGINOSA	1	0	1	0	1	1.3%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
PSEUDOMONAS STUTZERI	1	0	1	0	1	1.3%
STAPHYLOCOCCUS AUREUS	0	7	2	5	7	9.1%
STAPHYLOCOCCUS CAPITIS	0	7	0	7	7	9.1%
STAPHYLOCOCCUS EPIDERMIDIS	0	8	1	7	8	10.4%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	1.3%
STAPHYLOCOCCUS HOMINIS	0	3	0	3	3	3.9%
STAPHYLOCOCCUS SCHLEIFERI	1	0	1	0	1	1.3%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	1	0	1	1	1.3%
STREPTOCOCCUS AGALACTIAE	1	0	1	0	1	1.3%
STREPTOCOCCUS MITIS	1	1	1	1	2	2.6%
STREPTOCOCCUS SANGUIS	0	1	0	1	1	1.3%
STREPTOCOCCUS VIRIDANS	1	2	1	2	3	3.9%
Total	13	64	18	59	77	100.0%
Obstetrics						
ANAEROBES, NOT SPECIFIED	0	1	0	1	1	3.3%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	1	0	1	1	3.3%
ENTEROBACTER CLOACAE	0	1	1	0	1	3.3%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	1	1	0	1	3.3%
ESCHERICHIA COLI	6	6	10	2	12	40.0%
HAEMOPHILUS INFLUENZAE	0	1	1	0	1	3.3%
KLEBSIELLA PNEUMONIAE	0	2	0	2	2	6.7%
MORGANELLA MORGANII	0	1	0	1	1	3.3%
PROTEUS MIRABILIS	0	1	0	1	1	3.3%
STAPHYLOCOCCUS AUREUS	1	2	2	1	3	10.0%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	1	0	1	1	3.3%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	1	0	1	0	1	3.3%
STREPTOCOCCUS PNEUMONIAE	1	0	1	0	1	3.3%
STREPTOCOCCUS PYOGENES	0	1	0	1	1	3.3%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	1	1	2	0	2	6.7%
Total	10	20	19	11	30	100.0%
Otorhinolaryngology						
CANDIDA ALBICANS	0	2	0	1	2	40.0%
ESCHERICHIA COLI	0	1	0	1	1	20.0%
KLEBSIELLA OXYTOCA	0	1	0	1	1	20.0%
STAPHYLOCOCCUS AUREUS	0	1	0	1	1	20.0%
Total	0	5	0	4	5	100.0%
Ophthalmology						
STREPTOCOCCUS PNEUMONIAE	1	0	1	0	1	100.0%
Total	1	0	1	0	1	100.0%
Pediatrics						
ACINETOBACTER BAUMANNII	0	1	0	1	1	0.7%
ACINETOBACTER SPECIES, NOT SPECIFIED	3	0	3	0	3	2.2%
ASPERGILLUS FUMIGATUS	1	0	1	0	1	0.7%
CANDIDA ALBICANS	0	4	0	4	4	2.9%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	2	11	2	11	13	9.4%
EIKENELLA CORRODENS	0	1	0	1	1	0.7%
ENTEROBACTER AGGLOMERANS	0	1	1	0	1	0.7%
ENTEROBACTER CLOACAE	0	4	0	4	4	2.9%
ENTEROBACTER SPECIES, NOT SPECIFIED	0	1	1	0	1	0.7%
ENTEROCOCCUS DURANS	0	1	0	1	1	0.7%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
ENTEROCOCCUS FAECALIS	0	1	0	1	1	0.7%
ENTEROCOCCUS FAECIUM	0	3	0	3	3	2.2%
ESCHERICHIA COLI	8	6	11	3	14	10.1%
HAEMOPHILUS INFLUENZAE	1	0	1	0	1	0.7%
KLEBSIELLA OXYTOCA	0	2	0	2	2	1.4%
KLEBSIELLA PNEUMONIAE	0	6	1	5	6	4.3%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.7%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	1	0	1	1	0.7%
MICROCOCCUS SPECIES	1	0	1	0	1	0.7%
MORAXELLA CATARRHALIS	1	0	1	0	1	0.7%
MORAXELLA NONLIQUEFACIENS	1	0	1	0	1	0.7%
MORGANELLA MORGANII	0	1	0	1	1	0.7%
NEISSERIA MENINGITIDIS	1	0	1	0	1	0.7%
NEISSERIA MUCOSA	0	1	1	0	1	0.7%
PSEUDOMONAS AERUGINOSA	0	4	2	2	4	2.9%
ROTHIA SPECIES, NOT SPECIFIED	0	1	0	1	1	0.7%
SALMONELLA TYPHIMURIUM	0	1	0	1	1	0.7%
STAPHYLOCOCCUS AUREUS	11	6	11	6	17	12.3%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	0.7%
STAPHYLOCOCCUS HOMINIS	1	0	1	0	1	0.7%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	3	0	3	3	2.2%
STENOTROPHOMONAS MALTOPHILIA	0	1	0	1	1	0.7%
STREPTOCOCCUS AGALACTIAE	2	0	2	0	2	1.4%
STREPTOCOCCUS BOVIS	0	1	0	1	1	0.7%
STREPTOCOCCUS MILLERI	0	1	1	0	1	0.7%
STREPTOCOCCUS MITIS	2	2	2	2	4	2.9%
STREPTOCOCCUS PNEUMONIAE	19	1	19	1	20	14.5%
STREPTOCOCCUS PYOGENES	1	0	1	0	1	0.7%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	2	1	3	0	3	2.2%
STREPTOCOCCUS VIRIDANS	8	4	10	2	12	8.7%
Total	65	73	78	60	138	100.0%
Psychiatry						
BACTEROIDES SPECIES, NOT SPECIFIED	0	1	0	1	1	10.0%
ESCHERICHIA COLI	1	4	2	3	5	50.0%
KLEBSIELLA PNEUMONIAE	0	1	0	1	1	10.0%
STAPHYLOCOCCUS AUREUS	0	1	0	1	1	10.0%
STREPTOCOCCUS MITIS	0	1	0	1	1	10.0%
STREPTOCOCCUS VIRIDANS	0	1	0	1	1	10.0%
Total	1	9	2	8	10	100.0%
Revalidation						
ACINETOBACTER JUNII	0	1	0	1	1	1.4%
BACTEROIDES FRAGILIS	0	3	0	3	3	4.1%
CANDIDA ALBICANS	0	3	0	3	3	4.1%
CANDIDA PARAPSILOSIS	0	1	0	1	1	1.4%
CANDIDA SPECIES, NOT SPECIFIED	0	1	0	1	1	1.4%
CLOSTRIDIUM TERTIUM	0	1	0	1	1	1.4%
ENTEROBACTER AEROGENES	0	3	0	3	3	4.1%
ENTEROCOCCUS FAECALIS	0	3	0	3	3	4.1%
ENTEROCOCCUS FAECIUM	0	1	0	1	1	1.4%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	1.4%
ESCHERICHIA COLI	3	15	4	14	18	24.3%
GEMELLA MORBILLORUM	0	1	0	1	1	1.4%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
KLEBSIELLA OXYTOCA	0	1	0	1	1	1.4%
KLEBSIELLA PNEUMONIAE	0	5	0	5	5	6.8%
PEPTOSTREPTOCOCCUS MICROS	0	1	0	1	1	1.4%
PROTEUS MIRABILIS	0	6	0	5	6	8.1%
PROTEUS VULGARIS	0	1	0	1	1	1.4%
PSEUDOMONAS AERUGINOSA	0	4	0	4	4	5.4%
SERRATIA SPECIES, NOT SPECIFIED	0	1	0	1	1	1.4%
STAPHYLOCOCCUS AUREUS	0	11	0	11	11	14.9%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	1.4%
STREPTOCOCCUS MILLERI	0	1	0	1	1	1.4%
STREPTOCOCCUS PNEUMONIAE	0	5	0	5	5	6.8%
Total	3	71	4	69	74	100.0%
Trauma/Emergency						
ACINETOBACTER BAUMANNII	0	1	1	0	1	0.4%
ACINETOBACTER SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
BACTEROIDES FRAGILIS	3	0	3	0	3	1.2%
BACTEROIDES SPECIES, NOT SPECIFIED	5	0	5	0	5	2.0%
CANDIDA ALBICANS	2	0	2	0	2	0.8%
CLOSTRIDIUM PERFRINGENS	2	0	2	0	2	0.8%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	2	0	2	0	2	0.8%
ENTEROBACTER AEROGENES	5	2	5	2	7	2.8%
ENTEROBACTER CLOACAE	2	1	2	1	3	1.2%
ENTEROCOCCUS FAECALIS	4	0	4	0	4	1.6%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
ESCHERICHIA COLI	77	1	77	1	78	30.7%
EUBACTERIUM LIMOSUM	1	0	1	0	1	0.4%
FUSOBACTERIUM SPECIES, NOT SPECIFIED	1	0	1	0	1	0.4%
G-BAC, NON ENTEROBACTERIACEAE, NOT SPEC.	1	0	1	0	1	0.4%
KLEBSIELLA OXYTOCA	1	2	1	2	3	1.2%
KLEBSIELLA PNEUMONIAE	16	0	16	0	16	6.3%
LISTERIA MONOCYTOGENES	1	0	1	0	1	0.4%
NEISSERIA MENINGITIDIS	1	1	1	1	2	0.8%
PEPTOSTREPTOCOCCUS SPECIES, NOT SPECIFIEI	1	0	1	0	1	0.4%
PROTEUS MIRABILIS	4	0	4	0	4	1.6%
PSEUDOMONAS AERUGINOSA	8	3	8	3	11	4.3%
PSEUDOMONAS STUTZERI	1	0	1	0	1	0.4%
SALMONELLA OF GROUP B	1	0	1	0	1	0.4%
SERRATIA MARCESCENS	3	0	3	0	3	1.2%
SERRATIA ODORIFERA	1	0	1	0	1	0.4%
STAPHYLOCOCCUS AUREUS	15	0	15	0	15	5.9%
STAPHYLOCOCCUS EPIDERMIDIS	3	3	3	3	6	2.4%
STAPHYLOCOCCUS HAEMOLYTICUS	0	1	0	1	1	0.4%
STAPHYLOCOCCUS HOMINIS	2	1	2	1	3	1.2%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	8	0	8	0	8	3.1%
STREPTOCOCCI, ALPHA-HEMOLYTIC	1	0	1	0	1	0.4%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	2	0	2	0	2	0.8%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	1	0	1	0	1	0.4%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP C	2	0	2	0	2	0.8%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP F	1	0	1	0	1	0.4%
STREPTOCOCCUS AGALACTIAE	1	0	1	0	1	0.4%
STREPTOCOCCUS ANGINOSUS	2	0	2	0	2	0.8%
STREPTOCOCCUS BOVIS	1	0	1	0	1	0.4%
STREPTOCOCCUS MILLERI	2	0	2	0	2	0.8%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
STREPTOCOCCUS MITIS	2	0	2	0	2	0.8%
STREPTOCOCCUS PNEUMONIAE	34	1	34	1	35	13.8%
STREPTOCOCCUS PYOGENES	3	0	3	0	3	1.2%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	5	0	5	0	5	2.0%
STREPTOCOCCUS VIRIDANS	7	0	7	0	7	2.8%
Total	237	17	238	16	254	100.0%
Other types						
ACINETOBACTER BAUMANNII	0	4	0	4	4	2.6%
BACTEROIDES FRAGILIS	1	2	1	2	3	1.9%
BACTEROIDES OVATUS	1	0	1	0	1	0.6%
CANDIDA ALBICANS	1	2	1	2	3	1.9%
CANDIDA GLABRATA	0	1	0	1	1	0.6%
CITROBACTER DIVERSUS	1	0	1	0	1	0.6%
CITROBACTER FREUNDII	0	1	0	1	1	0.6%
COAGULASE-NEGATIVE STAFYLOCOCCI, NOT SPE	0	3	0	3	3	1.9%
ENTEROBACTER AEROGENES	1	0	1	0	1	0.6%
ENTEROBACTER CLOACAE	1	1	1	1	2	1.3%
ENTEROCOCCUS FAECALIS	5	3	5	3	8	5.1%
ENTEROCOCCUS FAECIUM	0	1	0	1	1	0.6%
ENTEROCOCCUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.6%
ESCHERICHIA COLI	21	20	26	15	41	26.3%
ESCHERICHIA HERMANII	0	1	0	1	1	0.6%
HAEMOPHILUS INFLUENZAE	1	0	1	0	1	0.6%
KLEBSIELLA OXYTOCA	0	4	0	4	4	2.6%
KLEBSIELLA PNEUMONIAE	2	6	2	6	8	5.1%
LACTOBACILLUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.6%
LISTERIA MONOCYTOGENES	0	1	0	1	1	0.6%
MICRO-ORGANISM NOT IDENTIFIED OR NOT FOL	0	1	0	1	1	0.6%
MORGANELLA MORGANII	2	1	2	1	3	1.9%
NEISSERIA MENINGITIDIS	1	0	1	0	1	0.6%
PROTEUS MIRABILIS	1	2	1	2	3	1.9%
PROTEUS SPECIES, NOT SPECIFIED	0	1	0	1	1	0.6%
PROTEUS VULGARIS	0	1	0	1	1	0.6%
PROVIDENCIA STUARTII	1	0	1	0	1	0.6%
PSEUDOMONAS AERUGINOSA	2	5	3	4	7	4.5%
SERRATIA MARCESCENS	0	1	0	1	1	0.6%
STAPHYLOCOCCUS AUREUS	7	6	7	6	13	8.3%
STAPHYLOCOCCUS EPIDERMIDIS	1	3	1	3	4	2.6%
STAPHYLOCOCCUS HOMINIS	0	1	0	1	1	0.6%
STAPHYLOCOCCUS, COAGULASE NEGATIVE	0	1	1	0	1	0.6%
STENOTROPHOMONAS MALTOPHILIA	0	1	0	1	1	0.6%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP A	1	0	1	0	1	0.6%
STREPTOCOCCI, BETA-HEMOLYTIC OF GROUP B	1	0	1	0	1	0.6%
STREPTOCOCCUS AGALACTIAE	9	0	9	0	9	5.8%
STREPTOCOCCUS PNEUMONIAE	11	1	11	1	12	7.7%
STREPTOCOCCUS PYOGENES	1	0	1	0	1	0.6%
STREPTOCOCCUS SANGUIS	2	0	2	0	2	1.3%
STREPTOCOCCUS SPECIES, NOT SPECIFIED	1	1	1	1	2	1.3%
STREPTOCOCCUS VIRIDANS	1	1	1	1	2	1.3%
Total	77	79	84	72	156	100.0%

Table 5c : Distribution of micro-organisms by SEP origin

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
Catheter-associated						
<i>Coagulase-neg. staphylococci</i>	36	326	49	309	362	40.1%
<i>Staphylococcus aureus</i>	27	150	36	141	177	19.6%
<i>Candida spp.</i>	3	71	3	70	74	8.2%
<i>Enterococcus spp.</i>	2	42	3	41	44	4.9%
<i>Klebsiella spp.</i>	1	43	3	41	44	4.9%
<i>Enterobacter spp.</i>	2	33	2	33	35	3.9%
<i>Escherichia spp.</i>	7	28	10	25	35	3.9%
<i>Pseudomonas spp.</i>	4	22	6	20	26	2.9%
<i>Acinetobacter spp.</i>	1	20	1	20	21	2.3%
<i>Serratia spp.</i>	1	19	1	19	20	2.2%
<i>Streptococcus spp.</i>	1	13	1	13	14	1.6%
<i>Stenotrophomonas spp.</i>	1	9	1	8	10	1.1%
Other/unidentified	1	6	3	4	7	0.8%
<i>Bacillus spp.</i>	1	5	1	5	6	0.7%
<i>Citrobacter spp.</i>	0	5	0	5	5	0.6%
<i>Proteus spp.</i>	0	5	0	5	5	0.6%
<i>Corynebacterium spp.</i>	0	3	0	3	3	0.3%
<i>Morganella spp.</i>	0	3	0	3	3	0.3%
<i>Bacteroides spp.</i>	1	1	1	1	2	0.2%
Other/unspec. fungi	0	2	0	2	2	0.2%
<i>Agrobacterium spp.</i>	0	1	0	1	1	0.1%
<i>Flavobacterium spp.</i>	0	1	0	1	1	0.1%
<i>Lactobacillus spp.</i>	0	1	0	1	1	0.1%
<i>Neisseria spp.</i>	0	1	0	1	1	0.1%
<i>Propionibacterium spp.</i>	1	0	1	0	1	0.1%
<i>Saccharomyces spp.</i>	0	1	0	1	1	0.1%
<i>Stomatococcus spp.</i>	1	0	1	0	1	0.1%
Total	91	811	123	773	902	100.0%
Unknown origin						
<i>Escherichia spp.</i>	138	253	176	215	391	18.8%
<i>Coagulase-neg. staphylococci</i>	60	215	74	201	275	13.2%
<i>Streptococcus spp.</i>	112	128	129	111	240	11.5%
<i>Staphylococcus aureus</i>	46	178	60	164	224	10.8%
<i>Klebsiella spp.</i>	32	141	43	129	173	8.3%
<i>Enterococcus spp.</i>	23	115	30	108	138	6.6%
<i>Pseudomonas spp.</i>	21	92	24	89	113	5.4%
<i>Enterobacter spp.</i>	16	94	25	84	110	5.3%
<i>Candida spp.</i>	0	104	5	99	104	5.0%
<i>Acinetobacter spp.</i>	11	69	14	66	80	3.8%
<i>Bacteroides spp.</i>	8	31	9	30	39	1.9%
<i>Proteus spp.</i>	3	24	6	21	27	1.3%
<i>Serratia spp.</i>	3	21	4	20	24	1.2%
<i>Morganella spp.</i>	2	21	6	17	23	1.1%
Other/unidentified	4	12	5	11	16	0.8%
<i>Stenotrophomonas spp.</i>	0	15	1	14	15	0.7%
<i>Citrobacter spp.</i>	2	11	3	10	13	0.6%
<i>Haemophilus spp.</i>	1	5	2	4	6	0.3%
<i>Saccharomyces spp.</i>	1	5	1	5	6	0.3%
<i>Salmonella spp.</i>	4	2	4	2	6	0.3%
<i>Clostridium spp.</i>	2	3	2	3	5	0.2%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Bacillus spp.</i>	1	3	1	3	4	0.2%
<i>Corynebacterium spp.</i>	1	2	1	2	3	0.1%
<i>Fusobacterium spp.</i>	0	3	1	2	3	0.1%
<i>Hafnia spp.</i>	0	3	0	3	3	0.1%
<i>Lactobacillus spp.</i>	0	3	0	3	3	0.1%
<i>Moraxella spp.</i>	3	0	3	0	3	0.1%
<i>Neisseria spp.</i>	1	2	2	1	3	0.1%
<i>Prevotella spp.</i>	0	3	0	3	3	0.1%
<i>Aeromonas spp.</i>	1	1	1	1	2	0.1%
<i>Aspergillus spp.</i>	1	1	1	1	2	0.1%
<i>Campylobacter spp.</i>	1	1	1	1	2	0.1%
<i>Gemella spp.</i>	0	2	0	2	2	0.1%
<i>Listeria spp.</i>	1	1	1	1	2	0.1%
<i>Providencia spp.</i>	0	2	1	1	2	0.1%
<i>Aerococcus spp.</i>	0	1	0	1	1	0.0%
<i>Alcaligenes spp.</i>	0	1	0	1	1	0.0%
<i>Burkholderia spp.</i>	0	1	0	1	1	0.0%
<i>Capnocytophagia spp.</i>	0	1	0	1	1	0.0%
<i>Chryseobacterium spp.</i>	0	1	0	1	1	0.0%
<i>Cryptococcus spp.</i>	0	1	0	1	1	0.0%
<i>Eikenella spp.</i>	0	1	0	1	1	0.0%
<i>Eubacterium spp.</i>	0	1	0	1	1	0.0%
<i>Flavobacterium spp.</i>	0	1	0	1	1	0.0%
<i>Lactococcus spp.</i>	0	1	0	1	1	0.0%
<i>Micrococcus spp.</i>	1	0	1	0	1	0.0%
Other enterobacteriaceae	0	1	0	1	1	0.0%
<i>Peptostreptococcus spp.</i>	0	1	0	1	1	0.0%
<i>Propionibacterium spp.</i>	1	0	1	0	1	0.0%
Total	501	1578	638	1439	2079	100.0%
Secondary septicemia						
<i>Escherichia spp.</i>	395	523	462	455	918	29.6%
<i>Staphylococcus aureus</i>	129	250	154	225	379	12.2%
<i>Streptococcus spp.</i>	252	109	272	89	361	11.6%
<i>Klebsiella spp.</i>	67	179	85	160	246	7.9%
<i>Enterococcus spp.</i>	27	166	44	149	193	6.2%
<i>Pseudomonas spp.</i>	36	141	42	134	177	5.7%
<i>Coagulase-neg. staphylococci</i>	54	105	71	88	159	5.1%
<i>Enterobacter spp.</i>	27	126	43	109	153	4.9%
<i>Proteus spp.</i>	31	68	33	65	99	3.2%
<i>Candida spp.</i>	11	68	13	66	79	2.5%
<i>Bacteroides spp.</i>	22	31	24	29	53	1.7%
<i>Serratia spp.</i>	5	40	6	39	45	1.4%
<i>Morganella spp.</i>	4	31	4	31	35	1.1%
<i>Acinetobacter spp.</i>	4	30	5	29	34	1.1%
Other/unidentified	6	18	10	14	24	0.8%
<i>Citrobacter spp.</i>	4	12	5	11	16	0.5%
<i>Haemophilus spp.</i>	6	9	7	8	15	0.5%
<i>Stenotrophomonas spp.</i>	3	11	4	10	14	0.5%
<i>Clostridium spp.</i>	3	9	7	5	12	0.4%
<i>Fusobacterium spp.</i>	6	5	6	5	11	0.4%
<i>Salmonella spp.</i>	8	2	8	2	10	0.3%
<i>Providencia spp.</i>	3	6	4	5	9	0.3%
<i>Bacillus spp.</i>	2	3	2	3	5	0.2%

MICROORGANISM	<D3	>=D3	<D5	>=D5	TOTAL	%
<i>Neisseria spp.</i>	4	1	4	1	5	0.2%
<i>Propionibacterium spp.</i>	4	1	4	1	5	0.2%
<i>Peptostreptococcus spp.</i>	2	2	2	2	4	0.1%
<i>Prevotella spp.</i>	1	3	2	2	4	0.1%
<i>Saccharomyces spp.</i>	0	4	1	3	4	0.1%
<i>Aeromonas spp.</i>	0	3	0	3	3	0.1%
<i>Corynebacterium spp.</i>	0	3	0	3	3	0.1%
<i>Listeria spp.</i>	2	1	3	0	3	0.1%
<i>Micrococcus spp.</i>	1	2	1	2	3	0.1%
<i>Achromobacter spp.</i>	2	0	2	0	2	0.1%
<i>Aerococcus spp.</i>	0	2	0	2	2	0.1%
<i>Alcaligenes spp.</i>	1	1	1	1	2	0.1%
<i>Burkholderia spp.</i>	1	1	1	1	2	0.1%
<i>Eubacterium spp.</i>	2	0	2	0	2	0.1%
<i>Hafnia spp.</i>	1	1	1	1	2	0.1%
<i>Lactobacillus spp.</i>	0	2	0	2	2	0.1%
<i>Moraxella spp.</i>	1	1	1	1	2	0.1%
<i>Actinobacillus spp.</i>	0	1	0	1	1	0.0%
<i>Actinomyces spp.</i>	0	1	0	1	1	0.0%
<i>Agrobacterium spp.</i>	0	1	0	1	1	0.0%
<i>Campylobacter spp.</i>	1	0	1	0	1	0.0%
<i>Gemella spp.</i>	0	1	0	1	1	0.0%
Other/unspec. fungi	0	1	0	1	1	0.0%
Other/unspec. virus	0	1	0	1	1	0.0%
<i>Peptococcus spp.</i>	1	0	1	0	1	0.0%
<i>Stomatococcus spp.</i>	0	1	0	1	1	0.0%
Total	1129	1977	1338	1763	3106	100.0%

Table 9 : Antimicrobial resistance data (NSIHWin V4.03 or later)

Marker	n det. (1)	n non-S (2)	% non-S (3)	N hosp. ref. (4)	N det. ref. (5)	n non-S ref. (6)	% non-S ref. (7)
GRAM-POSITIVE COCCI							
<i>S. aureus</i>							
MRSA (oxa-R)	693	238	34.3	87	2661	889	33.4
Aminoglycosides-R/MRSA	75	7	9.3	40	266	37	13.9
CTMX-IR/MRSA	81	1	1.2	36	264	7	2.7
Clindamycin-IR/MRSA	89	31	34.8	38	274	131	47.8
Erythromycin-IR/MRSA	92	43	46.7	41	284	174	61.3
Fluoroquinolone-IR/MRSA	89	80	89.9	38	286	263	92
Fusidic acid-IR/MRSA	53	4	7.5	26	166	11	6.6
Vancomycin-IR/MRSA	96	1	1	43	301	3	1
Co-trimoxazole I/R	245	3	1.2	50	927	9	1
Clindamycin I/R	275	38	13.8	48	958	169	17.6
Erythromycin I/R	273	65	23.8	50	951	286	30.1
Cipro/levofloxacin I/R	229	97	42.4	47	878	317	36.1
<i>Coagulase-negative staphylococci</i>							
Oxacillin R	199	163	81.9	35	974	687	70.5
Vancomycin I/R	191	5	2.6	28	926	13	1.4
<i>Enterococci</i>							
<i>E. faecalis</i>							
Genta/tobra I/R	11	2	18.2	11	82	28	34.1
Ampicillin I/R	58	0	0	15	238	7	2.9
Vancomycin I/R	57	1	1.8	15	234	2	0.9
<i>E. faecium</i>							
Genta/tobra I/R	2	1	50	7	23	3	13
Ampicillin I/R	24	20	83.3	14	116	95	81.9
Vancomycin I/R	22	1	4.5	14	113	22	19.5
<i>Streptococcus sp.</i>							
<i>S. pneumoniae</i>							
Peni/oxacillin I/R	44	6	13.6	21	228	24	10.5
Erythromycin I/R	39	18	46.2	19	218	74	33.9
Other streptococci							
Peni/oxacillin I/R	53	6	11.3	26	211	35	16.6
Erythromycin I/R	51	16	31.4	24	199	68	34.2
ENTEROBACTERIACEAE							
<i>E. coli</i>							
Ampi/Piper I/R	233	131	56.2	35	1109	627	56.5
Amoxy/Clav I/R	222	49	22.1	34	1104	221	20
C1 (I/R)	196	52	26.5	28	1028	252	24.5
C2 (I/R)	212	29	13.7	34	986	115	11.7
C3 cefotax./ceftriax./ceftaz. (I/R)	139	21	15.1	33	783	61	7.8
C4/cefepim (I/R)	129	15	11.6	29	676	41	6.1
ESBL	24	11	45.8	17	139	25	18
Cipro/levofloxacin (I/R)	225	56	24.9	34	1066	189	17.7
Genta/Tobra I/R	121	8	6.6	25	739	54	7.3
<i>Enterobacter sp.</i>							
<i>E. aerogenes</i>							
C3 cefotax./ceftriax./ceftaz. (I/R)	20	14	70	24	103	67	65
C4/cefepim (I/R)	18	8	44.4	19	90	25	27.8
ESBL	9	6	66.7	13	40	18	45
Cipro/levofloxacin (I/R)	22	12	54.5	26	108	62	57.4
Genta/Tobra I/R	16	4	25	18	74	22	29.7
Carbapenems I/R	19	0	0	23	100	3	3
<i>E. cloacae</i>							
C3 cefotax./ceftriax./ceftaz. (I/R)	37	11	29.7	21	133	40	30.1
C4/cefepim (I/R)	36	5	13.9	19	127	16	12.6
ESBL	5	3	60	10	19	9	47.4
Cipro/levofloxacin (I/R)	36	4	11.1	21	135	21	15.6
Genta/Tobra I/R	23	0	0	17	84	3	3.6

Marker	n det. (1)	n non-S (2)	% non-S (3)	N hosp. ref. (4)	N det. ref. (5)	n non-S ref. (6)	% non-S ref. (7)
Carbapenems I/R	34	0	0	20	119	2	1.7
<i>Klebsiella sp.</i>							
K. pneumoniae							
C1 I/R	47	14	29.8	23	189	40	21.2
C3 cefotax./ceftriax./ceftaz. (I/R)	35	11	31.4	26	143	27	18.9
C4/cefepim (I/R)	33	10	30.3	26	136	24	17.6
ESBL	10	8	80	10	33	19	57.6
Cipro/levofloxacin (I/R)	56	13	23.2	27	203	24	11.8
Genta/Tobra I/R	33	3	9.1	20	130	5	3.8
Carbapenems I/R	34	0	0	25	139	0	0
<i>K. oxytoca</i>							
C1 I/R	17	9	52.9	17	92	48	52.2
C3 cefotax./ceftriax./ceftaz. (I/R)	17	3	17.6	16	81	13	16
C4/cefepim (I/R)	12	2	16.7	15	70	8	11.4
ESBL	3	0	0	7	20	2	10
Cipro/levofloxacin (I/R)	18	3	16.7	18	93	17	18.3
Genta/Tobra I/R	13	1	7.7	16	68	5	7.4
Carbapenems I/R	13	0	0	16	74	1	1.4
NON-FERMENTERS							
<i>Pseudomonas aeruginosa</i>							
Piperacillin I/R	33	4	12.1	21	150	39	26
Pip/tazo I/R	37	5	13.5	20	173	29	16.8
Ceftazidim I/R	68	12	17.6	24	281	55	19.6
Cefepim I/R	63	14	22.2	23	256	64	25
Carbapenems I/R	62	13	21	23	242	54	22.3
Cipro/levofloxacin (I/R)	65	17	26.2	24	280	76	27.1
Amikacin (I/R)	64	8	12.5	24	281	39	13.9
Genta/Tobra (I/R)	34	7	20.6	20	167	42	25.1
<i>Acinetobacter sp.</i>							
Piperacillin I/R	8	2	25	13	72	17	23.6
Pip/tazo I/R	15	5	33.3	14	64	19	29.7
Ceftazidim I/R	21	7	33.3	20	134	36	26.9
Cefepim I/R	18	3	16.7	16	121	24	19.8
Carbapenems I/R	18	0	0	18	121	0	0
Cipro/levofloxacin (I/R)	20	6	30	20	135	24	17.8
Amikacin (I/R)	21	2	9.5	20	136	10	7.4
Genta/Tobra (I/R)	11	4	36.4	15	96	13	13.5
CANDIDA SPP							
<i>C. albicans</i>							
Fluconazole	25	1	4	19	90	2	2.2
Amphotericin-B	20	0	0	17	76	0	0
<i>C. non-albicans</i>							
Fluconazole	14	3	21.4	15	72	21	29.2
Amphotericin-B	20	0	0	17	76	0	0

(1)-(3) results for Belgium (1) number of determined strains - (2) number of non-sensitive strains - (3) percentage of non-sensitive strains

(4)-(7) results for reference data - (4) Number of hospitals in reference database for this marker - (5) number of determined strains

(6) number of non-sensitive strains - (7) % non-sensitive strains

